



HOROZ[®]

ELECTRIC



High Quality **High Performance**

2016/2
CATALOGUE

www.horozelektrik.com



HOROZ®

ELECTRIC



www.facebook.com/horozelectric

twitter.com/HorozElectric

www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti

KaçmazGrup

www.horozelektrik.com



HOROZ ELECTRIC

2016/2
CATALOGUE

Contents

High Quality High Performance

ADHESIVE TAPE	145	LED PENDANT LAMP	57
ALUMINIUM BULKHEAD LAMP	106	LED PICTURE & MIRROR LAMP	83
BALLAST & TRANSFORMER	143	LED PROJECTOR	99
BATHROOM LAMP	83	LED READING LAMP	83
CABLE REEL	147	LED SOLAR LAMP	122
CABLE TIE	145	LED STREET LIGHT	109
CEILING LAMP	68	LED STRIP	128
COMPACT CONNECTOR	146	LED SUSPENSION LIGHT	50
CONNECTOR	145	LED TRACK LIGHT	44
DECORATIVE CEILING LAMP	62	LED TUBE	2
DESK LAMP	88	LED WALL LIGHT	65
DETECTOR	138	LED WALLWASHER	105
DOORBELL	138	LED WATERPROOF LAMP	95
DOWNLIGHT	61	LIGHT CONTROL PHOTODIODE	138
ELECTRONIC WALL LAMP	92	LIGHTING TRACK	44
ENERGY SAVING LAMP	10	MAGNETIC WALL LAMP	95
EXHAUST FANS	148	MERCURY LAMP	21
FLOOR LAMP	87	METAL HALIDE LAMP	21
FLOURESCENT LOUVER FITTING	94	NAIL CABLE CLIP	145
FLUORESCENT TUBE	15	PICTURE & MIRROR LAMP	83
GARDEN LAMP	111	PROJECTOR STAND	99
HALOGEN DOWNLIGHT	23	RECESSED MONOPOINT	44
HALOGEN LAMP	16	RECHARGEABLE & EMERGENCY LED LANTERN	132
HALOGEN PROJECTOR	99	RECHARGEABLE LED HEADLIGHT	132
HIGH BAY LAMP	97	REFLECTOR LAMP	18
INCANDESCENT LAMP	18	RG6	145
INGROUND & RECESSED TYPE LED LAMP	124	RGB AMPLIFIER	128
LAMP HOLDER	144	RGB CONTROLLER	128
LED ROPELIGHT	128	SENSOR	138
LED BATTEN LIGHT	92	SOCKET	145
LED BULKHEAD LAMP	106	STARTER	145
LED CAPSULE	2	STREET LIGHT	109
LED CEILING LAMP	68	TERMINAL BLOCK	145
LED DESK LAMP	88	TIMER	138
LED DOWNLIGHT	26	TRACK CONNECTOR	44
LED DRIVER	128	UTP CAT5E/UTP CAT6	145
LED FLOOR LAMP	87	WALL LIGHT	65
LED GARDEN LAMP	111	WATERPROOF LAMP	95
LED HIGH BAY LAMP	97	WATERPROOF LED DRIVER	128
LED LAMP	2	WIRE SPRING CONNECTOR	146
LED NIGHT LAMP	137	WIRELESS LIGHTING CONTROLLER SWITCH	138
LED PANEL	39		


**HOROZ ELECTRIC****LED Lamp / LED Tube / LED Capsule****PREMIER-5**

001 006 0005

HL 4305L



- 500 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

**PREMIER-6**

001 006 0006

HL 4306L



- 600 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs


**HOROZ ELECTRIC****LED Lamp / LED Tube / LED Capsule****PREMIER-8**

001 006 0008

HL 4308L



- 850 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs


**PREMIER-10**

001 006 0010

HL 4310L



- 1000 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs


**PREMIER-12**

001 006 0012

HL 4312L



- 1050 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs


**PREMIER-15**

001 006 0015

HL 4315L



- 1400 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

**EXPERT-10**

001 021 0010



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 900 lm
- 3000K / 4200K / 6400K

**NEW****INFINITY**

001 018 0008



- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 8W
- 600 Lm
- 3000K / 4200K / 6400K



LED LAMP / LED TUBE / LED CAPSULE



FONIX-4

001 001 0004

GU5.3

- 290 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



FONIX-6

001 001 0006

GU5.3

- 390 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



VISION-6

001 022 0006

GU10

NEW

- 390 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



FONIX-8

001 001 0008

GU5.3

- 630 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



PLUS-4

001 002 0004

GU10

- 250 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



PLUS-6

001 002 0006

GU10

- 390 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



PLUS-8

001 002 0008

GU10

- 630 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




**ULTRA-4**

001 003 0004

HL 4360L




- 250 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

**ULTRA-6**

001 003 0006

- 480 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

**CRAFT-4**

001 004 0004

HL 4370L



- 250 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

**CRAFT-6**

001 004 0006

- 480 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs


**ELITE-4**

001 005 0004

HL 4380L E14



- 250 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs


**ELITE-4**

001 005 0004

HL 4380L E27



- 250 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

**ELITE-6**

001 005 0006

E14



- 480 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs

**ELITE-6**

001 005 0006

E27



- 480 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs





FILAMENT CANDLE-2

001 013 0002



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 160 lm
- 2700K / 4200K




FILAMENT CANDLE-4

001 013 0004



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 320 lm
- 2700K / 4200K



FILAMENT FLAME-2

001 014 0002



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 160 lm
- 2700K / 4200K



FILAMENT FLAME-4

001 014 0004



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 320 lm
- 2700K / 4200K




FILAMENT GLOBE-4

001 015 0004



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 320 lm
- 2700K / 4200K




FILAMENT GLOBE-6

001 015 0006



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 400 lm
- 2700K / 4200K




FILAMENT GLOBE-8

001 015 0008



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 500 lm
- 2700K / 4200K





001 017 0001



RAINBOW

YELLOW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 105 lm

RED

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 34 lm

GREEN

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 68 lm

BLUE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 12 lm



001 017 0003



SPECTRA

YELLOW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 315 lm

RED

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 102 lm

GREEN

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 205 lm

BLUE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 38 lm



LED LAMP / LED TUBE / LED CAPSULE






TORCH-20

001 016 0020


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 1700 lm
- 3000K / 4200K / 6400K



GLOBE-16

001 019 0016


- 175-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 1400 lm
- 3000K / 4200K / 6400K



TORCH-30

001 016 0030

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700 lm
- 3000K / 4200K / 6400K



GLOBE-20

001 020 0020


- 175-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 1620 lm
- 3000K / 4200K / 6400K



TORCH-40

001 016 0040

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 3400 lm
- 3000K / 4200K / 6400K






PIKO-2

001 007 0002

HL 450L

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 105 lm
- 2700 K / 6400 K




PIKO-3

001 007 0003

HL 451L

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 210 lm
- 2700 K / 6400 K




NANO-2

001 008 0002

HL 452L

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 105 lm
- 2700 K / 6400 K




NANO-3

001 008 0003

HL 453L

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 210 lm
- 2700 K / 6400 K




MINI

001 009 0002

HL 454L

- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700 K / 6400 K




MICRO-2

001 010 0002

HL 455L

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 90 lm
- 2700 K / 6400 K






MICRO-3

001 010 0003

HL 456L

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 150 lm
- 2700 K / 6400 K




MIDI

001 012 0002

HL 459L

- 12V DC
- Average Life: 20.000 Hrs
- 110 lm
- 2700 K / 6400 K




MEGA-3

001 011 0003

HL 457L

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 180 lm
- 2700 K / 6400 K




MEGA-5

001 011 0005

HL 458L

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 230 lm
- 2700 K / 6400 K



002 001 0009


SMD LED TUBE 60cm

LED TUBE-60



9W, 650 lm DAYLIGHT

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 650 lm
- 6400 K



002 001 0018

SMD LED TUBE 120cm

LED TUBE-120



18W, 1300 lm DAYLIGHT

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 1300 lm
- 6400 K



**HOROZ ELECTRIC**

Energy Saving Lamp

FULL-9

003 001 0009

HL 8809**FULL SPIRAL T3****9W E14**

- 2700 K - 420 lm
- 6400 K - 500 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-9**

003 001 0009

HL 8809**FULL SPIRAL T3****9W E27**

- 2700 K - 420 lm
- 6400 K - 400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**HOROZ ELECTRIC**

Energy Saving Lamp

**FULL-12**

003 001 0012

HL 8811**FULL SPIRAL T3****12W E14**


- 2700 K - 550 lm
- 6400 K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-12**

003 001 0012

HL 8811**FULL SPIRAL T3****12W E27**

- 2700 K - 550 lm
- 6400 K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-15**

003 001 0015

HL 8815**FULL SPIRAL T3****15W E14**

- 2700 K - 770 lm
- 6400 K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-15**

003 001 0015

HL 8815**FULL SPIRAL T3****15W E27**

- 2700 K - 770 lm
- 6400 K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs





FULL-20

003 001 0020

HL 8820



FULL SPIRAL T3

20W E27

- 2700 K - 1040 lm
- 6400 K - 1020 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



FULL-26

003 001 0026

HL 8825



FULL SPIRAL T3

26W E27

- 2700 K - 1250 lm
- 6400 K - 1240 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



HALF-9

003 002 0009

HL 8609



HALF SPIRAL T3

9W E14

- 2700 K - 410 lm
- 6400 K - 400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



HALF-9

003 002 0009

HL 8609



HALF SPIRAL T3

9W E27

- 2700 K - 410 lm
- 6400 K - 400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs





HALF-12

003 002 0012

HL 8611



HALF SPIRAL T3

12W E14

- 2700 K - 550 lm
- 6400 K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



12W

HALF-12

003 002 0012

HL 8611



HALF SPIRAL T3

12W E27

- 2700 K - 550 lm
- 6400 K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



12W

HALF-15

003 002 0015

HL 8615



HALF SPIRAL T3

15W E27

- 2700 K - 770 lm
- 6400 K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



15W

HALF-15

003 002 0015

HL 8615



HALF SPIRAL T3

15W E14

- 2700 K - 770 lm
- 6400 K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



15W

HALF-20

003 002 0020

HL 8620



HALF SPIRAL T3

20W E27

- 2700 K - 1040 lm
- 6400 K - 1020 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



20W

HALF-26

003 002 0026

HL 8625



HALF SPIRAL T3

26W E27

- 2700 K - 1380 lm
- 6400 K - 1370 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



26W





THREE-U/15

003 003 0015

HL 8315



3U T3

15W E27

- 2700 K - 760 lm
- 6400 K - 740 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



15W



THREE-U/18

003 003 0018

HL 8320




3U T3

18W E27

- 2700 K - 910 lm
- 6400 K - 890 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



18W



THREE-U/23

003 003 0023

HL 8325




3U T3

23W E27

- 2700 K - 1090 lm
- 6400 K - 1090 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



23W



FULL-35

003 001 0035

HL 8835



FULL SPIRAL T4

35W E27

- 6400 K - 1350 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



35W



FULL-45

003 001 0045

HL 8845



FULL SPIRAL T4

45W E27

- 6400 K - 1750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



45W



FULL-65

003 001 0065

HL 8865



FULL SPIRAL T5

65W E27

- 6400 K - 2500 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



65W





FULL-85

003 001 0085

HL 8885

FULL SPIRAL T5

85W E27

- 6400 K - 3500 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



FULL-105


003 001 0105

HL 88105

FULL SPIRAL T6

105W E27

- 6400 K - 4400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs





ENERGY SAVING LAMP



PL

11W (520 lm)

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs
- 2700 K / 6400 K





Fluorescent Tube





TUBE-5

004	001	0006	6W, 280-310 lm
004	001	0008	8W, 400-430 lm
004	001	0013	13W, 1045-1140 lm
004	001	0021	21W, 1660-1850 lm
004	001	0028	28W, 2350-2470 lm

T5 DAYLIGHT

■ Average Life: 8.000 Hrs




TUBE-8

004	003	0010	10W, 280-310 lm
004	003	0015	15W, 560-630 lm
004	003	0018	18W, 960-1150 lm
004	003	0030	30W, 1720-2100 lm
004	003	0036	36W, 2400-2760 lm
004	003	0058	58W, 4080-5000 lm

T8 DAYLIGHT

■ Average Life: 8.000 Hrs





GU 10

35W, 200 lm

50W, 340 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



GU10

MR16 CLOSED

20W CLOSED, 200 lm

35W CLOSED, 450 lm

50W CLOSED, 600 lm

- 12V
- Average Life: 2.000 Hrs



MR16



Halogen Lamp




JCDR OPEN

35W OPEN, 350 lm

50W OPEN, 650 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



JCDR

JCDR CLOSED

35W CLOSED, 320 lm

50W CLOSED, 550 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



JCDR


JCG 4

10W, 150 lm

20W, 250 lm

35W, 550 lm

- 12V
- Average Life: 2.000 Hrs




JCG 4

JCG 6.35

50W, 900 lm

- 12V
- Average Life: 2.000 Hrs




JCG 6.35

JCD G6.35

35W, 380 lm

50W, 680 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



JCD G6.35




G9 FROST



25W, 220 lm

40W, 500 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs




G9 CLEAR



25W, 270 lm

40W, 420 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs




G9 WHITE



25W, 100 lm

40W, 220 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs




JC G4 WHITE



20W, 120 lm

- 12V
- Average Life: 2.000 Hrs



HALOGEN LAMP

78mm

100W, 900 lm

150W, 1600 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



HALOGEN LAMP

118mm

200W, 1800 lm

300W, 4000 lm

500W, 7500 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



13 (118mm)



HALOGEN LAMP

189mm

1000W, 18000 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



HALOGEN LAMP

254mm

1500W, 30000 lm

2000W, 41000 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs




**HOROZ ELECTRIC**

Incandescent Lamp / Reflector Lamp

FLAME CLEAR-40006 001 0040 **40W****FLAME CLEAR-60**006 001 0060 **60W****HL 420****CANDLE BULB****WITH TAIL****40W, 280 lm****60W, 480 lm****CLEAR**


- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



E14

FLAME FROSTED-40006 002 0040 **40W****FLAME FROSTED-60**006 002 0060 **60W****HL 421****CANDLE BULB****WITH TAIL****40W, 240 lm****60W, 400 lm****FROSTED**

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



E14

**HOROZ ELECTRIC**


Incandescent Lamp Reflector Lamp



E14

CANDLE CLEAR-40006 003 0040 **40W****CANDLE CLEAR-60**006 003 0060 **60W****HL 423****CANDLE BULB****40W, 280 lm****60W, 480 lm****CLEAR**


- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



E14

CANDLE FROSTED-40006 004 0040 **40W****CANDLE FROSTED-60**006 004 0060 **60W****HL 424****CANDLE BULB****40W, 240 lm****60W, 400 lm****FROSTED**


- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



E14

CANDLE SOFT-40006 005 0040 **40W****CANDLE SOFT-60**006 005 0060 **60W****HL 425****CANDLE BULB****40W, 240 lm****60W, 400 lm****SOFT**


- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



E14

SCREW FROSTED-40006 006 0040 **40W****SCREW FROSTED-60**006 006 0060 **60W****HL 426****SCREW CANDLE BULB****40W, 240 lm****60W, 400 lm****FROSTED**

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



E14

SCREW CLEAR-40006 007 0040 **40W****SCREW CLEAR-60**006 007 0060 **60W****HL 427****SCREW CANDLE BULB****40W, 280 lm****60W, 480 lm****CLEAR**

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



E14



CANDLE FROSTED-40

006 008 0040 40W

CANDLE FROSTED-60

006 008 0060 60W

HL 428




CANDLE BULB

40W, 240 lm

60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



CANDLE SOFT-40

006 009 0040 40W

CANDLE SOFT-60

006 009 0060 60W

HL 429



CANDLE BULB

40W, 240 lm

60W, 400 lm

SOFT

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



GLOBE SOFT-40

006 010 0040 40W

GLOBE SOFT-60

006 010 0060 60W

HL 430




GLOBE BULB

40W, 240 lm

60W, 400 lm

SOFT

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



GLOBE FROSTED-40

006 011 0040 40W

GLOBE FROSTED-60

006 011 0060 60W

HL 431




GLOBE BULB

40W, 240 lm

60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



GLOBE SOFT-40

006 012 0040 40W

GLOBE SOFT-60

006 012 0060 60W

HL 432




GLOBE BULB

40W, 240 lm

60W, 400 lm

SOFT

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



GLOBE FROSTED-40

006 013 0040 40W

GLOBE FROSTED-60

006 013 0060 60W

HL 433




GLOBE BULB

40W, 240 lm

60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs




**MUSHROOM FROSTED**

006 014 0060 60W

HL 434**MUSHROOM BULB****60W, 400 lm****FROSTED**

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

**MUSHROOM SOFT**

006 015 0060 60W

HL 435**MUSHROOM BULB****60W, 400 lm****SOFT**


- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

**R39**

007 001 0030 30W

R39**30W, 150 lm****FROSTED**

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

**R50-40**

007 002 0040 40W

R50-60

007 002 0060 60W

R50**40W, 280 lm****60W, 460 lm****FROSTED**


- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

**R63-60**

007 003 0060 60W

R63**60W, 400 lm****FROSTED**

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

**R80-60**

007 004 0060 60W

R80-75


007 004 0075 75W

R80-100

007 004 0100 100W

R80**60W, 380 lm****75W, 580 lm****100W, 900 lm****FROSTED**

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs






KRIPTON-125

008 001 0125

HL 400



HIGH PRESSURE

MERCURY LAMP

- 125W
- 4990 lm
- 5500K
- With Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



PLANET-125

008 002 0125

HL 401



HIGH PRESSURE

MERCURY LAMP

- 125W
- 2560 lm
- 4400K
- Without Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs




**Mercury Lamp
Metal Halide Lamp**



PLANET-160

008 002 0160

HL 402



HIGH PRESSURE

MERCURY LAMP

- 160W
- 2560 lm
- 4400K
- Without Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



KRIPTON-250

008 001 0250

HL 403



HIGH PRESSURE

MERCURY LAMP


- 250W
- 11025 lm
- 5500K
- With Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



PLANET-250

008 002 0250

HL 404



HIGH PRESSURE

MERCURY LAMP

- 250W
- 4900 lm
- 4400K
- Without Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



KRIPTON-400

008 001 0400

HL 405



HIGH PRESSURE

MERCURY LAMP

- 400W
- 21000 lm
- 5500K
- With Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



**MERKÜR**

009 001 0150

HL 406

**METAL HALIDE LAMP**

- 150W
- 11000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**NEXUS-150**

009 002 0150

HL 407

**METAL HALIDE LAMP**

- 150W
- 16000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**NEXUS-250**

009 002 0250

HL 408

**METAL HALIDE LAMP**

- 250W
- 21000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs


**NEXUS-400**

009 002 0400

HL 409

**METAL HALIDE LAMP**

- 400W
- WHITE, 35.000-38.000Lm
- BLUE, 8.000-10.000Lm
- GREEN, 28.000-31.000Lm
- RED, 20.000-23.000Lm
- 220-240V / 50-60Hz
- Average Life: 10.000 Hrs

**URANUS-70**

009 003 0070

HL 410

**METAL HALIDE LAMP**

- 70W
- 5500 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs


**URANUS-150**

009 003 0150

HL 411

**METAL HALIDE LAMP**

- 150W
- 17000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



**Halogen Downlight****PAPATYA**

015 016 0050

HL 759



- | | |
|---------------|-----------------------|
| CHROME | ANTIQUE RED COPPER |
| MAT CHROME | TITANIUM BLACK/GOLDEN |
| GOLDEN | PEARL SILVER/GOLDEN |
| ANTIQUE GREEN | |



220-240V / 50-60Hz
Max. 50W

**BEGONYA**

015 012 0050


HL 779



- | | |
|---------------|-----------------------|
| CHROME | ANTIQUE RED COPPER |
| MAT CHROME | TITANIUM BLACK/GOLDEN |
| GOLDEN | PEARL SILVER/GOLDEN |
| ANTIQUE GREEN | |



220-240V / 50-60Hz
Max. 50W

**LEYLAK**

015 013 0050


HL 797



- | | |
|---------------|-----------------------|
| CHROME | ANTIQUE RED COPPER |
| MAT CHROME | TITANIUM BLACK/GOLDEN |
| GOLDEN | PEARL SILVER/GOLDEN |
| ANTIQUE GREEN | |



220-240V / 50-60Hz
Max. 50W

**ZAMBAK**

015 014 0050


HL 798



- | | |
|---------------|-----------------------|
| CHROME | ANTIQUE RED COPPER |
| MAT CHROME | TITANIUM BLACK/GOLDEN |
| GOLDEN | PEARL SILVER/GOLDEN |
| ANTIQUE GREEN | |



220-240V / 50-60Hz
Max. 50W

**YONCA**

015 015 0050

HL 799



- | | |
|---------------|-----------------------|
| CHROME | ANTIQUE RED COPPER |
| MAT CHROME | TITANIUM BLACK/GOLDEN |
| GOLDEN | PEARL SILVER/GOLDEN |
| ANTIQUE GREEN | |



220-240V / 50-60Hz
Max. 50W



**ORKİDE**

015 007 0050

HL 750



CHROME	GOLDEN
MAT CHROME	WHITE

MR16



- 220-240V / 50-60Hz
- Max. 50W



75

**MENEKŞE**

015 008 0050

HL 752



CHROME	RED COPPER
MAT CHROME	PEARL CHROME
GOLDEN	WHITE

MR16



- 220-240V / 50-60Hz
- Max. 50W

75

**AÇELYA**

015 009 0050

HL 753




CHROME	GOLDEN
MAT CHROME	WHITE

- 220-240V / 50-60Hz
- Max. 50W

MR16



75

**ORTANCA**

015 010 0050

HL 755



CHROME	GOLDEN
MAT CHROME	

- 220-240V / 50-60Hz
- Max. 50W

MR16



75

**LALE**

015 011 0050


HL 756



CHROME
MAT CHROME

- 220-240V / 50-60Hz
- Max. 50W

MR16



75



**NİLÜFER**

015 001 0020



HL 800



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**NERGİS**

015 002 0020


HL 801



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**GONCA**

015 003 0020



HL 802



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**FULYA**

015 004 0020


HL 803



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**LİLYUM**

015 006 0020


HL 805



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**YASEMİN**

015 005 0020


HL 804



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W





016 001 0001

NATALIA


MAT CHROME

HL 815L

- WHITE: 6000K, 60 lm
- RED: 45 lm
- GREEN: 55 lm
- BLUE: 45 lm



- 220-240V / 50-60Hz
- 1W
- Average Life: 30.000 Hrs




016 002 0002

ANGELA

MAT CHROME

HL 761L

- 220-240V / 50-60Hz
- 2W / 100 lm
- 6400K
- Average Life: 30.000 Hrs



MIRANDA

CHROME

MAT CHROME

016 004 0003

HL 666L



- 220-240V / 50-60Hz
- 2700K / 6400K
- 1x3W, 260 lm
- Average Life: 30.000 Hrs



MONICA

CHROME

MAT CHROME

016 003 0001

HL 665L



- 220-240V / 50-60Hz
- 2700K / 6400K
- 1W, 80 lm
- Average Life: 30.000 Hrs



NADIA


MAT CHROME

016 027 0001

HL 661L



- 1W, 70 lm
- AC 220-240V / 50-60Hz
- 2700K / 6400K
- Average Life: 30.000 Hrs



FIONA

MAT CHROME

CHROME

016 028 0001



- 1W, 70 lm
- AC 220-240V / 50-60Hz
- 2700K / 6400K
- Average Life: 30.000 Hrs



SARA

MAT CHROME


WHITE

016 005 0003

HL 6731L



- 220-240V / 50-60Hz
- 2700K, 200 lm
- 6500K, 220 lm
- 3W
- Average Life: 40.000 Hrs



DIANA

MAT CHROME


WHITE

016 006 0003

HL 6741L



- 220-240V / 50-60Hz
- 2700K, 200 lm
- 6500K, 220 lm
- 3W
- Average Life: 40.000 Hrs





**VICTORIA-3**

016 007 0003

HL 678L

**MAT CHROME****WHITE**

- 3W 208 lm/230 lm
- AC 220-240V / 50-60Hz
- 2700K / 6500K
- Average Life: 40.000 Hrs

**VICTORIA-5**

016 007 0005

HL 679L

**MAT CHROME****WHITE**

- 5W 217 lm/354 lm
- AC 220-240V / 50-60Hz
- 2700K / 6500K
- Average Life: 40.000 Hrs


**MELISA-3**

016 008 0003

HL 698L

**MAT CHROME****WHITE**

- 3W 208 lm/230 lm
- AC 220-240V / 50-60Hz
- 2700K / 6500K
- Average Life: 40.000 Hrs

**MELISA-5**

016 008 0005

HL 699L

**MAT CHROME****WHITE**

- 5W 217 lm/354 lm
- AC 220-240V / 50-60Hz
- 2700K / 6500K
- Average Life: 40.000 Hrs

**LILYA-3**

016 009 0003

HL 698LE

**MAT CHROME****WHITE**

- 3W 222 lm
- AC 220-240V / 50-60Hz
- 2700K / 6400K
- Average Life: 30.000 Hrs


**LILYA-5**

016 009 0005

HL 699LE

**MAT CHROME****WHITE**

- 5W 335 lm
- AC 220-240V / 50-60Hz
- 2700K / 6400K
- Average Life: 30.000 Hrs





ELENA-1


016 010 0001

HL 670L



MAT CHROME

- AC 220-240V / 50-60Hz
- 1W, 45 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



VERA-1


016 011 0001

HL 671L



MAT CHROME

- AC 220-240V / 50-60Hz
- 1W, 45 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



ELENA-3


016 010 0003

HL 672L



MAT CHROME

- AC 220-240V / 50-60Hz
- 3W, 135 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



VERA-3

016 011 0003

HL 673L



MAT CHROME

- AC 220-240V / 50-60Hz
- 3W, 135 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



ELENA-6

016 010 0006

HL 674L



MAT CHROME

- AC 220-240V / 50-60Hz
- 6W, 270 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



VERA-6


016 011 0006

HL 675L



MAT CHROME

- AC 220-240V / 50-60Hz
- 6W, 270 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



VERA-12

016 011 0012

HL 676L



MAT CHROME

- AC 220-240V / 50-60Hz
- 12W, 450 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



VERA-18


016 011 0018

HL 677L



MAT CHROME

- AC 220-240V / 50-60Hz
- 18W, 720 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs






OLIVIA-6


016 014 0006

HL 684L



WHITE
MAT CHROME

- AC 220-240V / 50-60Hz
- 6W 414 lm
- 3000K / 6000K
- Average Life: 30.000 Hrs



CARMEN-6


016 013 0006

HL 687L



WHITE
MAT CHROME

- AC 220-240V / 50-60Hz
- 6W 414 lm
- 3000K / 6000K
- Average Life: 30.000 Hrs



OLIVIA-12


016 014 0012

HL 685L



WHITE
MAT CHROME

- AC 220-240V / 50-60Hz
- 12W 858 lm
- 3000K / 6000K
- Average Life: 30.000 Hrs



CARMEN-12

016 013 0012

HL 688L



WHITE
MAT CHROME

- AC 220-240V / 50-60Hz
- 12W 858 lm
- 3000K / 6000K
- Average Life: 30.000 Hrs



OLIVIA-15

016 014 0015

HL 686L



WHITE
MAT CHROME

- AC 220-240V / 50-60Hz
- 15W 1069 lm
- 3000K / 6000K
- Average Life: 30.000 Hrs



CARMEN-15

016 013 0015

HL 689L



WHITE
MAT CHROME

- AC 220-240V / 50-60Hz
- 15W 1069 lm
- 3000K / 6000K
- Average Life: 30.000 Hrs





MARIA-6



016 015 0006

HL 684LG



WHITE

- AC 220-240V / 50-60Hz
- 6W, 480 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



CLARA-6



016 016 0006

HL 687LG



WHITE

- AC 220-240V / 50-60Hz
- 6W, 480 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



MARIA-12



016 015 0012

HL 685LG



WHITE


- AC 220-240V / 50-60Hz
- 12W, 744 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



CLARA-12



016 016 0012

HL 688LG



WHITE

- AC 220-240V / 50-60Hz
- 12W, 744 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



MARIA-15



016 015 0015

HL 686LG



WHITE

- AC 220-240V / 50-60Hz
- 15W, 1150 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



CLARA-15



016 016 0015

HL 689LG



WHITE

- AC 220-240V / 50-60Hz
- 15W, 1150 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs





AMANDA-6


016 017 0006

HL 6754L



WHITE
MAT CHROME

- AC 220-240V / 50-60Hz
- 6W, 480 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



AMANDA-10


016 017 0010

HL 6755L



WHITE
MAT CHROME

- AC 220-240V / 50-60Hz
- 10W, 550 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



016 017 0015



AMANDA-15

HL 6756L



WHITE
MAT CHROME

- AC 220-240V / 50-60Hz
- 15W, 650 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



016 017 0025


AMANDA-25

HL 6758L



WHITE
MAT CHROME

- AC 220-240V / 50-60Hz
- 25W, 1312 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs







016 019 0008

HELEN-8**WHITE****MAT CHROME**

HL 695L 3 INCH

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W, 354 lm
- 4200K




016 020 0008

GALINA-8**WHITE**

HL 692L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W, 444 lm
- 6500K



016 019 0010

HELEN-10**WHITE****MAT CHROME**

HL 696L 4 INCH

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 10W, 742 lm
- 4200K




016 020 0010

GALINA-10**WHITE**

HL 693L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 10W, 570 lm
- 6500K




016 019 0020

HELEN-20**WHITE****MAT CHROME**

HL 697L 6 INCH

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 20W, 1315 lm
- 4200K




016 020 0020

GALINA-20**WHITE**

HL 694L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 20W, 1166 lm
- 6500K




016 019 0030

HELEN-30**WHITE****MAT CHROME**

HL 6978L 8 INCH

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 30W, 1880 lm
- 4200K




016 018 0030

LILY**WHITE**

HL 691L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 30W, 1447 lm
- 6500K






016 021 0005

ADRIANA-5

HL 6701L



WHITE


- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 5W
- 368 lm
- 2700K / 6400K



016 021 0010

ADRIANA-10

HL 6702L



WHITE


- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2x5W
- 2x368 lm
- 2700K / 6400K



016 021 0015

ADRIANA-15

HL 6703L



WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 3x5W
- 3x368 lm
- 2700K / 6400K






016 022 0010

HL 6711L

VERONICA-10



WHITE


- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 10W
- 539 lm
- 2700K / 6400K



016 022 0020

HL 6712L

VERONICA-20



WHITE


- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2x10W
- 2x539 lm
- 2700K / 6400K



016 022 0030

HL 6713L

VERONICA-30



WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 3x10W
- 3x539 lm
- 2700K / 6400K







016 023 0008

SABRINA-8

HL 6721L



WHITE



- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W
- 371 lm
- 2700K / 6400K



016 023 0016

SABRINA-16

HL 6722L



WHITE



- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2x8W
- 2x371lm
- 2700K / 6400K



016 023 0024

SABRINA-24

HL 6723L



WHITE



- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 3x8W
- 3x371lm
- 2700K / 6400K



SABRINA-32

016 023 0032

HL 6724L



WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4x8W
- 4x371lm
- 2700K / 6400K






016 025 0012
HL 640L

CAROLINE-12

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 12W, 840 lm
- 3000K / 4200K / 6400K





016 026 0012
HL 641L

ARINA-12

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 12W, 840 lm
- 3000K / 4200K / 6400K



016 025 0018

CAROLINE-18

WHITE

- AC 220-240V / 50-60Hz
- 18W, 1300 lm
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K





016 026 0018

ARINA-18

WHITE

- AC 220-240V / 50-60Hz
- 18W, 1300 lm
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K



016 025 0028
HL 642L

CAROLINE-28

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 28W, 1960 lm
- 3000K / 4200K / 6400K




016 026 0028
HL 643L

ARINA-28

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 28W, 1960 lm
- 3000K / 4200K / 6400K




016 025 0032

CAROLINE-32

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 32W, 2240 lm
- 3000K / 4200K / 6400K





NEW

016 026 0032

ARINA-32

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 32W, 2240 lm
- 3000K / 4200K / 6400K



NEW



016 025 0040

CAROLINE-40

WHITE

NEW

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 40W 2800 lm
- 3000K / 4200K / 6400K



016 026 0040

ARINA-40

WHITE

NEW

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 40W 2800 lm
- 3000K / 4200K / 6400K




016 025 0048

CAROLINE-48

WHITE

NEW

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 48W 3360 lm
- 3000K / 4200K / 6400K




016 026 0048

ARINA-48

WHITE

NEW

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 48W 3360 lm
- 3000K / 4200K / 6400K




016 034 0024

LINDA-24

WHITE

NEW

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 24W 1680 lm
- 3000K / 4200K / 6400K



300 mm




016 034 0036

LINDA-36

WHITE

NEW

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 36W 2520 lm
- 3000K / 4200K / 6400K



300 mm





016 024 0032
HL 637L

JASMIN

WHITE

SILVER

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4x2W, 2.400 lm
- 6400K



46 mm




TINA

016 027 0015



WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W, 1.190 lm
- 4000K



GABRIEL


016 029 0006

WHITE

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6W, 410 lm
- 4200K



Ø80 mm



JESSICA


016 030 0006

WHITE

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6W, 410 lm
- 4200K



Ø90 mm



JULIA


016 032 0003

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3W, 125 lm
- 4200K



Ø35



LISA


016 031 0003

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3W, 125 lm
- 4200K



Ø35





LED Panel




056 001 0032
HL 975L

STAR-32

SILVER

- 220-240V / 50-60Hz
- 32W, 2500 lm
- 3000K / 4200K / 6400K
- Average Life: 40.000 Hrs




GALAKSİ-32

056 002 0032

WHITE

- 220-240V / 50-60Hz
- 32W, 1800 lm / 2000 lm
- 2700K / 4200K / 6400K
- Average Life: 25.000 Hrs




TURKUVAZ

056 004 0032

WHITE

- 220-240V / 50-60Hz
- 32W, 2500 lm / 2700 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs






056 003 0003

SLIM-3

WHITE

- 220-240V / 50-60Hz
- 3W
- 110 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs



056 003 0006

SLIM-6

WHITE

- 220-240V / 50-60Hz
- 6W
- 270 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs




056 003 0009

SLIM-9

WHITE

- 220-240V / 50-60Hz
- 9W
- 540 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs




056 003 0012

SLIM-12

WHITE

- 220-240V / 50-60Hz
- 12W
- 660 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs



LED PANEL





SLIM-15

056 003 0015



WHITE


- 220-240V / 50-60Hz
- 15W
- 900 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs



SLIM-18

056 003 0018

HL 978L



WHITE


- 220-240V / 50-60Hz
- 18W
- 1170 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs



SLIM-24

056 003 0024

HL 979L



WHITE

- 220-240V / 50-60Hz
- 24W
- 1632 lm
- 2700K / 4200K / 6400K
- Average Life: 50.000 Hrs






056 005 0003

SLIM / Sq-3

WHITE

- 220-240V / 50-60Hz
- 3W
- 110 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs



NEW




056 005 0006

SLIM / Sq-6

WHITE

- 220-240V / 50-60Hz
- 6W
- 270 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs



NEW




056 005 0009

SLIM / Sq-9

WHITE

- 220-240V / 50-60Hz
- 9W
- 540 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs



NEW





056 005 0012

SLIM / Sq-12

WHITE

- 220-240V / 50-60Hz
- 12W
- 660 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs



NEW



LED PANEL





SLIM/ Sq-15

056 005 0015




NEW



170


WHITE

- 220-240V / 50-60Hz
- 15W
- 900 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs



SLIM/ Sq-18

056 005 0018




NEW



206


WHITE

- 220-240V / 50-60Hz
- 18W
- 1170 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs



SLIM / Sq-24

056 005 0024




NEW



285

WHITE

- 220-240V / 50-60Hz
- 24W
- 1632 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs





LED Track Light
Lighting Track
Track Connector
Recessed Monopoint



ROMA

018 002 0023

HL 822L



3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 23W
- 1315 lm
- 4200K



ZURIH-40

018 001 0040

HL 834L




3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 40W
- 2643 lm
- 4200K



ZURIH-23

018 001 0023

HL 821L




3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40,000 Hrs
- 23W
- 1511 lm
- 4200K



PRAG-12

018 003 0012

HL 824L


4.2 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 12W
- 852 lm
- 4200K



PRAG-7

018 003 0007

HL 823L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 7W
- 405 lm
- 4200K



TORINO-40

018 004 0040

HL 827L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 40W
- 2337 lm
- 4200K



TORINO-23

018 004 0023

HL 826L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1560 lm
- 4200K



MADRID-40

018 005 0040

HL 829L

3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 40W
- 2988 lm
- 4200K



MADRID-23

018 005 0023

HL 828L

3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 23W
- 1779 lm
- 4200K



VENEDIK-33

018 006 0033

HL 831L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 33W
- 2142 lm
- 4200K



VENEDIK-23

018 006 0023

HL 830L


2 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1947 lm
- 4200K





PARIS-23

018 007 0023

HL 832L


2 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1550 lm
- 4200K



PARIS-33

018 007 0033

HL 833L

3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 33W
- 2256 lm
- 4200K





MILANO-5

018 008 0005

HL 835L


1.5 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 5W
- 334 lm
- 4200K



MILANO-8

018 008 0008

HL 836L


1.7 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W
- 600 lm
- 4200K



MILANO-13

018 008 0013

HL 837L


2.3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 13W
- 987 lm
- 4200K



ZAGREB

018 009 0045


3 INCH

WHITE

BLACK

SILVER

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 45W
- 3200 lm
- 4200K





TRACK CONNECTOR

Straight Connector



096 001 0001

L Corner Connector



096 002 0002

WHITE

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A

RECESSED MONOPOINT TRACK




098 001 0001

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Max. 16A



LIGHTING TRACK



1m, 2m, 3m

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Max. 16A



1m. 097 001 0001

2m. 097 001 0002

3m. 097 001 0003





HOROZ ELECTRIC

LED Suspension Light

ROYAL-18

019 001 0018

HL 860L



ROYAL-24

019 001 0024

HL 861L



ROYAL-33

019 001 0033

HL 862L



WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 18W / 24W / 33W
- 1260 lm / 1680 lm / 2310 lm
- 4000K



HOROZ ELECTRIC

LED Suspension Light



CLASIS-21

019 002 0021


HL 863L



CLASIS-31

019 002 0031


HL 864L



CLASIS-42

019 002 0042

HL 865L



WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 21W / 31W / 42W
- 1470 lm / 2170 lm / 2940 lm
- 4000K



LED SUSPENSION LIGHT



MASTER-75

019 003 0075

HL 866L

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 75W
- 5250 lm
- 4000K




MASTER-42

019 003 0042

HL 867L

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 42W
- 2940 lm
- 4000K




EXCLUSIVE-24

019 004 0024

HL 868L

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1680 lm
- 4000K




EXCLUSIVE-40

019 004 0040

HL 869L

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 40W
- 2800 lm
- 4000K






AVANGARD-24

019 005 0024

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1680 lm
- 4000K




AVANGARD-40

019 005 0040

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 40W
- 2800 lm
- 4000K





ELEGANCE-24

019 006 0024

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1680 lm
- 4000K




ELEGANCE-40

019 006 0040

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 40W
- 2800 lm
- 4000K



LED SUSPENSION LIGHT



CONCEPT-35

019 010 0035



- ROSE
- CHROME
- WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 35W
- 3000 lm
- 4000K




CONCEPT-41

019 010 0041



- ROSE
- CHROME
- WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 41W
- 1500 lm
- 4000K





TREND-50


019 009 0050



BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W
- 800 lm
- 4000K



TREND-85


019 009 0085



BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 85W
- 1400 lm
- 4000K



LED SUSPENSION LIGHT



ASFOR-50


019 011 0050



BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W
- 800 lm
- 4000K



ASFOR-85


019 011 0085



BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 85W
- 1400 lm
- 4000K





VISTA


019 007 0024

WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1500 lm
- 4000K



LED SUSPENSION LIGHT

FAVORI




019 008 0062

CHROME

COPPER

BROWN

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 62W
- 2500 lm
- 4000K





LED Pendant Lamp



ASTRA-10

020 001 0010

HL 870L




WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 10W
- 507 lm
- 6400K



ASTRA-15

020 001 0015

HL 871L




WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 857 lm
- 6400K



ASTRA-20

020 001 0020

HL 872L



WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 20W
- 1712 lm
- 6400K





HOROZ ELECTRIC LED Pendant Lamp

AVENSIS-10

WHITE

BLACK

RED

020 002 0010

HL 873L

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 10W
- 492 lm
- 6400K



10W



AVENSIS-15

WHITE

BLACK

RED

020 002 0015

HL 874L

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 1520 lm
- 6400K



15W



AVENSIS-20

WHITE


BLACK

RED

020 002 0020

HL 875L

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 20W
- 1600 lm
- 6400K



20W



SEMBOL

020 006 0012

BLACK

WHITE


RED

GREEN

YELLOW

BLUE

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 850 lm
- 4000K



LED PENDANT LAMP




ALYA

020 005 0015



- BLACK
- WHITE
- PINK
- PURPLE
- ORANGE
- BLUE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 1200 lm
- 4000K




MIRA

020 004 0015



- BLACK
- WHITE
- PINK
- PURPLE
- ORANGE
- BLUE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 1200 lm
- 4000K



LED PENDANT LAMP





HOROZ ELECTRIC LED Pendant Lamp

PRIZMA

020 007 0006



BLACK

WHITE

PINK

PURPLE

ORANGE

BLUE

- 100-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 6W
- 350 lm
- 4000K



LED PENDANT LAMP

NOVA

020 003 0006

HL 876L



BLACK

WHITE


PINK

PURPLE

ORANGE

BLUE

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 6W
- 300 lm
- 4200K



025 001 0040 2.5"  **CHROME**
HL 600 **MAT CHROME**
WHITE




■ 220-240V / 50-60Hz
 ■ Max. 40W






025 002 0060 3"  **CHROME**
HL 602 **MAT CHROME**
WHITE





■ 220-240V / 50-60Hz
 ■ Max. 60W




025 003 0060 4"  **CHROME**
HL 604 **MAT CHROME**
WHITE


■ 220-240V / 50-60Hz
 ■ Max. 60W



025 004 0075 5"  **CHROME**
HL 606 **MAT CHROME**
WHITE




■ 220-240V / 50-60Hz
 ■ Max. 75W



025 005 0040 6"  **CHROME**
HL 611 **MAT CHROME**
WHITE




■ 220-240V / 50-60Hz
 ■ Max. 2x20W ESL






025 005 0052 8"  **CHROME**
HL 612 **MAT CHROME**
WHITE





■ 220-240V / 50-60Hz
 ■ Max. 2x26W ESL






025 006 0040 6"  **CHROME**
HL 614 **MAT CHROME**
WHITE


■ 220-240V / 50-60Hz
 ■ Max. 2x20W ESL



025 006 0050 8"  **CHROME**
HL 616 **MAT CHROME**
WHITE

■ 220-240V / 50-60Hz
 ■ Max. 2x25W ESL



DOWNLIGHT

**HOROZ ELECTRIC**

Decorative Ceiling Lamp

ILGAZ-1

026 001 0001

HL 634S

CHROME + MAT CHROME**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL


**ILGAZ-2**

026 001 0002

HL 634M

CHROME + MAT CHROME**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**HOROZ ELECTRIC**

Decorative Ceiling Lamp


**ILGAZ-3**

026 001 0003

HL 634B

CHROME + MAT CHROME**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL


**ILGAZ-4**

026 001 0004

HL 634W

CHROME + MAT CHROME**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL




**KONAK-1**

026 002 0001

HL 635S

CHROME + MAT CHROME**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL


**KONAK-2**

026 002 0002

HL 635M

CHROME + MAT CHROME**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL


**KONAK-3**

026 002 0003

HL 635B

CHROME + MAT CHROME**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL


**KONAK-4**

026 002 0004

HL 635W

CHROME + MAT CHROME**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL


**ZARA-1**

026 003 0001

HL 636S

MAT CHROME**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**ZARA-2**

026 003 0002

HL 636M

MAT CHROME**Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL




**ZARA-3**

026 003 0003

HL 636B

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 3x60W
- Max. 3x12W ESL


**ZARA-4**

026 003 0004

HL 636W

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**LICE-1**

026 004 0001

HL 641

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL


**SARAY-1**

026 005 0001

HL 643

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 40W
- Max. 9W ESL


**SARAY-2**

026 005 0002

HL 644

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL


**LICE-2**

026 004 0002

HL 642

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL


**SARAY-3**

026 005 0003

HL 645

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL





HOROZ ELECTRIC

Wall Light / LED Wall Light

ERDEK


029 001 0005

HL 855L

WHITE

RED

- 220-240V / 50-60Hz
- 5W, 325 lm
- 4000K
- Average Life: 30.000 Hrs



MENGEN

028 001 0001


HL 850

WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Max. 40W



HOROZ ELECTRIC

Wall Light
LED Wall Light




AVANOS

029 002 0008

HL 857L

CHROME

- 220-240V / 50-60Hz
- 8W, 100 lm
- 4200K
- Average Life: 30.000 Hrs



WALL LIGHT / LED WALL LIGHT






RODOS-3

029 004 0003



WHITE

- 85-265V / 50-60Hz
- 3W
- 170 lm
- 4000K
- Average Life: 30.000 Hr




RODOS-6

029 004 0006



WHITE

- 85-265V / 50-60Hz
- 6W
- 340 lm
- 4000K
- Average Life: 30.000 Hrs




RODOS-12

029 004 0012



WHITE

- 85-265V / 50-60Hz
- 12W
- 950 lm
- 4000K
- Average Life: 30.000 Hrs





BELEN-6

029 003 0006

WHITE

- 85-265V / 50-60Hz
- 6W
- 340 lm
- 4000K
- Average Life: 30.000 Hrs



BELEN-12

029 003 0012

WHITE

- 85-265V / 50-60Hz
- 12W
- 950 lm
- 4000K
- Average Life: 30.000 Hrs



BELEN-18

029 003 0018


WHITE

- 85-265V / 50-60Hz
- 18W
- 1400 lm
- 4000K
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC****Ceiling Lamp / LED Ceiling Lamp**035 001 0002
HL 7151**MANYAS-2****CHROME**


- 220-240V / 50-60Hz
- Max. 40W



Bulb included

035 001 0003
HL 7152**MANYAS-3****CHROME**


- 220-240V / 50-60Hz
- Max. 2x40W



Bulb included

**HOROZ ELECTRIC****Ceiling Lamp
LED Ceiling Lamp**035 001 0004
HL 7153**MANYAS-4****CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb included

035 001 0001
HL 7150**MANYAS-1****CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb included

035 001 0006
HL 7158**MANYAS-6****CHROME**


- 220-240V / 50-60Hz
- Max. 4x40W



Bulb included

035 001 0005
HL 7154**MANYAS-5****CHROME**

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb included




035 002 0002
HL 7171

BERGAMA-2

CHROME

- 220-240V / 50-60Hz
- 9W ESL
- Max. 40W




Bulb included

035 002 0003
HL 7172

BERGAMA-3

CHROME

- 220-240V / 50-60Hz
- 2x9W ESL
- Max. 2x40W




Bulb included

035 002 0004
HL 7173

BERGAMA-4

CHROME

- 220-240V / 50-60Hz
- 3x9W ESL
- Max. 3x40W




Bulb included

035 002 0001
HL 7170

BERGAMA-1

CHROME

- 220-240V / 50-60Hz
- 3x9W ESL
- Max. 3x40W




Bulb included

035 002 0005
HL 7174

BERGAMA-5

CHROME

- 220-240V / 50-60Hz
- 4x9W ESL
- Max. 4x40W



Bulb included




035 003 0001
HL 790N

MANAVGAT-1

CHROME

- 220-240V / 50-60Hz
- 9W ESL




035 003 0002
HL 791N

MANAVGAT-2

CHROME

- 220-240V / 50-60Hz
- 2x9W ESL




035 003 0003
HL 792N

MANAVGAT-3

CHROME

- 220-240V / 50-60Hz
- 3x9W ESL




035 003 0005
HL 794N

MANAVGAT-5

CHROME

- 220-240V / 50-60Hz
- 3x9W ESL




035 003 0004
HL 793N

MANAVGAT-4

CHROME

- 220-240V / 50-60Hz
- 4x9W ESL



CEILING LAMP / LED CEILING LAMP




035 004 0001

BODRUM-1

MAT CHROME

HL 785N

- 220-240V / 50-60Hz
- 9W ESL




035 004 0002

BODRUM-2

MAT CHROME

HL 786N

- 220-240V / 50-60Hz
- 2x9W ESL




035 004 0003

BODRUM-3

MAT CHROME

HL 787N

- 220-240V / 50-60Hz
- 3x9W ESL



CEILING LAMP / LED CEILING LAMP


035 004 0004

BODRUM-4

MAT CHROME

HL 788N

- 220-240V / 50-60Hz
- 4x9W ESL






035 005 0001
HL 715

KEMER-1

CHROME

- 220-240V / 50-60Hz
- Max. 40W
- Max. 9W ESL




Bulb included

035 005 0002
HL 716

KEMER-2

CHROME

- 220-240V / 50-60Hz
- Max. 2x40W
- Max. 2x9W ESL




Bulb included

035 005 0003
HL 717

KEMER-3

CHROME

- 220-240V / 50-60Hz
- Max. 3x40W
- Max. 3x9W ESL




Bulb included

035 005 0005
HL 719

KEMER-5

CHROME

- 220-240V / 50-60Hz
- Max. 3x40W
- Max. 3x9W ESL




Bulb included

035 005 0004
HL 718

KEMER-4

CHROME

- 220-240V / 50-60Hz
- Max. 4x40W
- Max. 4x9W ESL



Bulb included






035 006 0001

HL 711

EFES-1

CHROME

- 220-240V / 50-60Hz
- Max. 40W



Bulb Included


035 006 0002

HL 712

EFES-2

CHROME

- 220-240V / 50-60Hz
- Max. 2x40W



Bulb Included


035 006 0003

HL 713

EFES-3

CHROME

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included




035 006 0004

HL 714

EFES-4

CHROME

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb Included






035 007 0001
HL 743

RİVA-1

MAT CHROME

- 220-240V / 50-60Hz
- Max. 40W



Bulb Included



035 007 0002
HL 744

RİVA-2

MAT CHROME

- 220-240V / 50-60Hz
- Max. 2x40W



Bulb Included



035 007 0003
HL 745

RİVA-3

MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included



035 007 0005
HL 747

RİVA-5

MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb Included



035 007 0004
HL 746


RİVA-4

MAT CHROME

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb Included



035 007 0006
HL 748


RİVA-6

MAT CHROME

- 220-240V / 50-60Hz
- Max. 6x40W



Bulb Included






035 008 0001
HL 780

DALYAN-1

MAT CHROME

- 220-240V / 50-60Hz
- Max. 40W



Bulb included




035 008 0002
HL 781

DALYAN-2

MAT CHROME

- 220-240V / 50-60Hz
- Max. 2x40W



Bulb included




035 008 0003
HL 782

DALYAN-3

MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb included




035 008 0005
HL 784

DALYAN-5

MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb included




035 008 0004
HL 783

DALYAN-4

MAT CHROME

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb included






035 009 0001

HL 700

AMOS-1**CHROME + MAT CHROME**

- 220-240V / 50-60Hz
- Max. 40W




035 009 0002

HL 701

AMOS-2**CHROME + MAT CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W



035 009 0003

HL 702

AMOS-3**CHROME + MAT CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W




035 009 0004

HL 703

AMOS-4**CHROME + MAT CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W




035 009 0005

HL 704

AMOS-5**CHROME + MAT CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W






036 001 0002

PATARA-2**CHROME**

HL 7181L



- 220-240V / 50-60Hz
- 4W
- 260 lm
- 4000K




036 001 0003

PATARA-3**CHROME**

HL 7182L

- 220-240V / 50-60Hz
- 2x4W
- 2x260 lm
- 4000K




036 001 0004

PATARA-4**CHROME**

HL 7183L

- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K




036 001 0001

PATARA-1**CHROME**

HL 7180L

- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K




036 001 0005

PATARA-5**CHROME**

HL 7184L

- 220-240V / 50-60Hz
- 4x4W
- 4x260 lm
- 4000K






036 002 0002

LARA-2**CHROME**

HL 7191L



- 220-240V / 50-60Hz
- 4W
- 260 lm
- 4000K




036 002 0003

LARA-3**CHROME**

HL 7192L



- 220-240V / 50-60Hz
- 2x4W
- 2x260 lm
- 4000K




036 002 0004

LARA-4**CHROME**

HL 7193L



- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K




036 002 0001

LARA-1**CHROME**

HL 7190L



- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K




036 002 0005

LARA-5**CHROME**

HL 7194L



- 220-240V / 50-60Hz
- 4x4W
- 4x260 lm
- 4000K






036 003 0002

SIDE-2

CHROME

HL 7161L

- 220-240V / 50-60Hz
- 5W
- 325 lm
- 4000K




036 003 0003

SIDE-3

CHROME

HL 7162L

- 220-240V / 50-60Hz
- 2x5W
- 2x325 lm
- 4000K




036 003 0004

SIDE-4

CHROME

HL 7163L

- 220-240V / 50-60Hz
- 3x5W
- 3x325 lm
- 4000K




036 003 0001

SIDE-1

CHROME

HL 7160L

- 220-240V / 50-60Hz
- 3x5W
- 3x325 lm
- 4000K




036 003 0005

SIDE-5

CHROME

HL 7164L

- 220-240V / 50-60Hz
- 4x5W
- 4x325 lm
- 4000K






036 005 0001

DiDIM-1

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 005 0002

DiDIM-2

CHROME

- 220-240V / 50-60Hz
- 5W
- 400 lm
- 4000K




036 005 0003

DiDIM-3

CHROME

- 220-240V / 50-60Hz
- 2x5W
- 2x400 lm
- 4000K




036 005 0004

DiDIM-4

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 005 0005

DiDIM-5

CHROME

- 220-240V / 50-60Hz
- 4x5W
- 4x400 lm
- 4000K




CEILING LAMP / LED CEILING LAMP



036 006 0001

ASSOS-1**CHROME**


- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K



036 006 0002

ASSOS-2**CHROME**


- 220-240V / 50-60Hz
- 5W
- 400 lm
- 4000K



036 006 0003

ASSOS-3**CHROME**


- 220-240V / 50-60Hz
- 2x5W
- 2x400 lm
- 4000K



036 006 0004

ASSOS-4**CHROME**


- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K



036 006 0005

ASSOS-5**CHROME**

- 220-240V / 50-60Hz
- 4x5W
- 4x400 lm
- 4000K






036 004 0001

MİLAS-1

CHROME

HL 7140L

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 004 0002

MİLAS-2

CHROME

HL 7141L

- 220-240V / 50-60Hz
- 5W
- 400 lm
- 4000K




036 004 0003

MİLAS-3

CHROME

HL 7142L

- 220-240V / 50-60Hz
- 2x5W
- 2x400 lm
- 4000K




036 004 0004

MİLAS-4

CHROME

HL 7143L

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 004 0005

MİLAS-5

CHROME

HL 7144L

- 220-240V / 50-60Hz
- 4x5W
- 4x400 lm
- 4000K



CEILING LAMP / LED CEILING LAMP

AQUA-1

037 001 0001

HL 881

CHROME

- 220-240V / 50-60Hz
- Max. 40W

E14

230 mm

95 mm 85 mm

IP44



VODA-1

037 002 0001

HL 891

CHROME

- 220-240V / 50-60Hz
- Max. 40W

E14

227 mm

65 mm 98 mm

IP44



HOROZ ELECTRIC

Bathroom Lamp
Picture & Mirror Lamp
LED Picture & Mirror Lamp
LED Reading Lamp

EAC RoHS CE



AQUA-2

037 001 0002

HL 882

CHROME

- 220-240V / 50-60Hz
- Max. 2x40W

E14

338 mm

95 mm 85 mm

IP44



VODA-2

037 002 0002

HL 892

CHROME


- 220-240V / 50-60Hz
- Max. 2x40W

E14

362 mm

65 mm 103 mm

IP44



AQUA-3

037 001 0003

HL 883

CHROME


- 220-240V / 50-60Hz
- Max. 3x40W

E14

25 mm

388 mm

IP44



VODA-3

037 002 0003

HL 893

CHROME


- 220-240V / 50-60Hz
- Max. 3x40W

E14

112 mm

411 mm

IP44



PELIKAN

040 003 0004

HL 6631L

CHROME

21 LED

- 100-250V / 50-60Hz
- 4W, 148 lm
- 4200K
- Average Life: 30.000 Hrs



FLAMİNGO-4

040 001 0004

HL 6641L

CHROME

21 LED

- 100-250V / 50-60Hz
- 4W, 360 lm
- 4200K
- Average Life: 30.000 Hrs



040 001 0006

FLAMİNGO-6

HL 6642L

CHROME

30 LED

- 100-250V / 50-60Hz
- 6W, 500 lm
- 4200K
- Average Life: 30.000 Hrs



040 002 0004

HL 6651L

ALBATROS-4

CHROME

21 LED

- 100-250V / 50-60Hz
- 4W, 360 lm
- 4200K
- Average Life: 30.000 Hrs



040 002 0006

ALBATROS-6

HL 6652L

CHROME

30 LED

- 100-250V / 50-60Hz
- 6W, 500 lm
- 4200K
- Average Life: 30.000 Hrs



039 001 0001

HL 652

KUMRU

CHROME

MAT CHROME

GOLDEN

TITANIUM BLACK

- Built in electronic transformer
- 220-240V / 50-60Hz 12V
- Max. 2x20W, 500 lm



LORI-6

040 008 0006

CHROME

12 LED

- 85-265V / 50-60Hz
- 6W, 360 lm
- 4200K
- Average Life: 30.000 Hrs



ON-OFF

6W SMD LED

LORI-9

040 008 0009

CHROME

18 LED

- 85-265V / 50-60Hz
- 9W, 540 lm
- 4200K
- Average Life: 30.000 Hrs



ON-OFF

9W SMD LED

FLORYA-3

040 009 0003

CHROME

- 100-265V / 50-60Hz
- 3W
- 170 lm
- 4000K
- Average Life: 30.000 Hrs



ON-OFF

3W COB LED



FLORYA-6

040 009 0006

CHROME

- 100-265V / 50-60Hz
- 6W
- 385 lm
- 4000K
- Average Life: 30.000 Hrs



ON-OFF

6W COB LED

FLORYA-9

040 009 0009

CHROME

- 100-265V / 50-60Hz
- 9W
- 540 lm
- 4000K
- Average Life: 30.000 Hrs



ON-OFF

9W COB LED

SAKA

040 004 0003


HL 003L

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



MARTI

040 005 0003


HL 008L

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



KUĞU

040 006 0003

SILVER

- 220-240V / 50-60Hz
- 3W, 200 lm
- 4200K
- Average Life: 30.000 Hrs



TURNA

040 007 0003

SILVER

- 220-240V / 50-60Hz
- 3W, 200 lm
- 4200K
- Average Life: 30.000 Hrs



**HOROZ ELECTRIC****LED Floor Lamp / Floor Lamp**

046 001 0003

HL 004L

TUNA

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



1200 mm

200 mm

046 002 0003

HL 009L

ARAS

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



1200 mm

200 mm

**HOROZ ELECTRIC****LED Floor Lamp
Floor Lamp**

046 003 0003

HL 012L

DICLE

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



1370 mm

200 mm

MERİÇ-1

045 001 0001

HL 080


BLUE

WHITE

GREEN

ORANGE

- 220-240V / 50-60Hz
- Max. 100W



200 mm

1000 mm



LED FLOOR LAMP / FLOOR LAMP

MERİÇ-2

045 001 0002

HL 081

WHITE

- 220-240V / 50-60Hz
- Mother: Max. 100W E27
- Baby: Max. 40W E14



200 mm

1000 mm

MERİÇ-3

045 001 0003

HL 082

WHITE

- 220-240V / 50-60Hz
- Mother: Max. 100W E27
- Baby: Max. 40W E14



200 mm

1000 mm

**HOROZ ELECTRIC****LED Desk Lamp / Desk Lamp**

049 009 0005

MERVE

BLUE

YELLOW

PINK

- 100-240V / 50-60Hz
- 5W, 300 lm
- 4600K
- Average Life: 30.000 Hrs



TOUCH



049 010 0010

EBRU

BLACK

WHITE

SILVER

- 100-240V / 50-60Hz
- 10W, 600 lm
- 3000K / 4500K / 6000K
- Average Life: 30.000 Hrs



TOUCH

WIFI

**HOROZ ELECTRIC****LED Desk Lamp
Desk Lamp**

049 011 0005

İREM

RED

WHITE

BLACK

- 100-240V / 50-60Hz
- 5W, 300 lm
- 4600K
- Average Life: 30.000 Hrs



TOUCH



049 004 0003

HL 007L

DİLARA

RED


WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF



049 005 0003

HL 011L

BUKET

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF





049 006 0003

HL 010L

BERNA


BLACK

WHITE

BLUE

RED

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

049 007 0003

HL 013L

BUSE

BLACK

WHITE

BLUE

RED

GREEN

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

049 008 0003

HL 014L

BİLGE

BLACK

WHITE

BLUE

RED

GREEN

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

049 002 0003

HL 002L


BEYZA

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

049 003 0003

HL 006L


ALEYNA

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

049 001 0003

HL 001L


ECE

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF



BUDDY

048 001 0015

HL 045



- PINK
- BLUE
- YELLOW

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm



OSCAR

048 002 0015

HL 046



- PINK
- WHITE
- YELLOW

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm



TOBY

048 003 0015

HL 047



- ORANGE
- BLUE
- YELLOW

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm



KITTY

048 004 0011

HL 036



- PINK
- BLUE
- GREEN

- 220-240V / 50-60Hz
- Max. 11W, 350 lm



MOLLY


048 005 0011

HL 037



- PINK
- BLUE
- GREEN

- 220-240V / 50-60Hz
- Max. 11W, 350 lm



APPLE


048 006 0011

HL 038



- PINK
- BLUE
- YELLOW

- 220-240V / 50-60Hz
- Max. 11W, 350 lm



FLYER


048 008 0011

HL 044



- PINK
- BLUE
- YELLOW

- 220-240V / 50-60Hz
- Max. 11W, 350 lm



DONALD


048 007 0011

HL 043



- BLUE
- ORANGE
- GREEN

- 220-240V / 50-60Hz
- Max. 11W, 350 lm





048 010 0060

HL 067

DERYA

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 60W



048 011 0040

HL 068

DENİZ

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 9W ESL
- Max. 40W



048 009 0060

HL 050

BİHTER

BLACK

WHITE

RED

BLUE

- 220-240V / 50-60Hz
- Max. 60W



048 013 0060

HL 074


RANA

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 12W ESL
- Max. 60W



048 012 0011

HL 069

NAZ

BLACK

WHITE

RED

GREY

- 220-240V / 50-60Hz
- Max. 11W, 350 lm



048 014 0060


HL 090

SİMGE

GREEN

BLUE

- 220-240V / 50-60Hz
- Max. 60W





HOROZ ELECTRIC

LED Batten Light / Electronic Wall Lamp

052 001 0030

SIGMA-4

052 001 0060

SIGMA-7

052 001 0090

SIGMA-10

052 001 0120

SIGMA-14

HL 2001L



4W - 30 cm


- 360 lm
- 630 lm
- 900 lm
- 1260 lm

7W - 60 cm

- Average Life: 20.000 Hrs
- 220-240V / 50-60Hz
- 6400K

10W - 90 cm

14W - 120 cm



052 002 0030

OMEGA-6

052 002 0060

OMEGA-9

052 002 0090

OMEGA-12

052 002 0120

OMEGA-16

HL 3011L



6W - 30 cm


- 540 lm
- 810 lm
- 1080 lm
- 1440 lm

9W - 60 cm

12W - 90 cm

16W - 120 cm

- Average Life: 20.000 Hrs
- 220-240V / 50-60Hz
- 6400K



HOROZ ELECTRIC

LED Batten Light Electronic Wall Lamp




052 003 0060

TETRA-18




- 1135 lm
- Average Life: 20.000 Hrs
- 200-240V / 50-60Hz
- 6400K



052 003 0120

TETRA-36

- 2269 lm
- Average Life: 20.000 Hrs
- 200-240V / 50-60Hz
- 6400K



LED BATTEN LIGHT / ELECTRONIC WALL LAMP



BETA-18

220-240V / 50-60Hz

053 002 0018



BETA-36

053 002 0036

HL 3011



053 001 0006

ALFA-6

053 001 0008

ALFA-8

053 001 0013

ALFA-13


HL 2001

053 001 0021

ALFA-21

053 001 0028

ALFA-28




DELTA-18

053 008 0018

DELTA-36

053 008 0036

HL 160 18W / HL 161 36W




PUNTO-36

053 009 0036

PUNTO-72

053 009 0072

HL 162 2x18W / HL 163 2x36W



ZETA-18

053 010 0018

ZETA-36

053 010 0036

HL 164 18W / HL 165 36W




054 001 0080

HL 182E 4x20W



RECESSED TYPE

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- For Lamp: 4x20W, 4000 lm



ELECTRONIC BALLAST


054 002 0080

HL 183E 4x20W



SURFACE TYPE

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- For Lamp: 4x20W, 4000 lm



ELECTRONIC BALLAST



054 005 0040


HL 181 2x20W

054 006 0080

HL 185 2x40W

SURFACE TYPE

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- For Lamp: 2x20W, 2000 lm
2x40W, 5000 lm



054 007 0080


HL 183 4x20W

054 008 0160

HL 187 4x40W

SURFACE TYPE

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- For Lamp: 4x20W, 4000 lm
4x40W, 10000 lm




054 003 0040

HL 180 2x20W

RECESSED TYPE

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- For Lamp: 2x20W, 2000 lm




054 004 0080

HL 182 4x20W

RECESSED TYPE

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- For Lamp: 4x20W, 4000 lm





LED Waterproof Lamp
Waterproof Lamp
Magnetic Wall Lamp



DAMLA-20

DARK GREEN

059 001 0020 HL 141L

- 220-240V / 50-60Hz
- 20W
- 1327 lm
- 6400K
- Average Life: 30.000Hrs



DAMLA-40

PC COVER

DARK GREEN

059 001 0040 HL 142L

- 220-240V / 50-60Hz
- 40W
- 2654 lm
- 6400K
- Average Life: 30.000Hrs



059 002 1009

SU-1009

- 220-240V / 50-60Hz
- 9W
- 650 lm
- Average Life: 25.000 Hrs
- 6400K



**INCLUDED LED TUBE
PC COVER**



059 002 1018

SU-1018

- 220-240V / 50-60Hz
- 18W
- 1300 lm
- Average Life: 25.000 Hrs
- 6400K



**INCLUDED LED TUBE
PC COVER**



059 002 2009

SU-2009

- 220-240V / 50-60Hz
- 18W
- 1300 lm
- Average Life: 25.000 Hrs
- 6400K



**INCLUDED LED TUBE
PC COVER**




059 002 2018

SU-2018

- 220-240V / 50-60Hz
- 36W
- 2600 lm
- Average Life: 25.000 Hrs
- 6400K



**INCLUDED LED TUBE
PC COVER**



058 001 1020

TRONIC-1020

HL 141E

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 20W
- For Lamp: 1000 lm



058 001 2020

TRONIC-2020

HL 143E

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 2x20W
- For Lamp: 2000 lm



058 001 1040

TRONIC-1040

HL 142E

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 40W
- For Lamp: 2500 lm



058 001 2040

TRONIC-2040

HL 144E

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 2x40W
- For Lamp: 5000 lm



060 001 1020

TMS-1020

HL 150

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.37A
- AT65°C TW105°
- Max 20W
- For Lamp: 1000 lm



060 001 1040

TMS-1040

HL 152

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.43A
- AT65°C TW105°
- Max 40W
- For Lamp: 2500 lm



060 001 2020

TMS-2020

HL 151

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.41A
- AT65°C TW105°
- Max 2x20W
- For Lamp: 2000 lm



060 001 2040

TMS-2040

HL 153

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.43A
- AT65°C TW105°
- Max 2x40W
- For Lamp: 5000 lm



**HOROZ ELECTRIC**

High Bay Lamp / LED High Bay Lamp

062 001 0015

ZEUS

HL 500

- 220-240V / 50-60Hz
- PC
- Max. 75W
- Max. 15W ESL

SHATTERPROOF

062 003 0025

AFRODIT

HL 502

SHATTERPROOF

- RED
- GREEN
- BLUE
- PINK
- CLEAR

- 220-240V / 50-60Hz
- PC
- Max. 100W
- Max. 25W ESL

**HOROZ ELECTRIC**

High Bay Lamp LED High Bay Lamp



062 002 0015

APOLLON

HL 501

- 220-240V / 50-60Hz
- PC
- Max. 75W
- Max. 15W ESL

SHATTERPROOF

062 004 0045

EROS

HL 505

- 220-240V / 50-60Hz
- PC
- Max. 200W
- Max. 45W ESL

SHATTERPROOF

062 005 0045

ATHENA

HL 506

- 220-240V / 50-60Hz
- PC
- Max. 200W
- Max. 45W ESL

SHATTERPROOF

062 006 0065

ARES

HL 510

- 220-240V / 50-60Hz
- PC
- Max. 300W
- Max. 65W ESL

SHATTERPROOF

062 007 0065

GALYA

HL 513

- 220-240V / 50-60Hz
- PC
- Max. 300W
- Max. 65W ESL

SHATTERPROOF

062 008 0105

HERA

HL 514

- 220-240V / 50-60Hz
- PC
- Max. 250W

SHATTERPROOF

HIGH BAY LAMP / LED HIGH BAY LAMP




ATLAS-50

063 001 0050

HL 515L

- 220-240V / 50-60Hz
- Aluminium Body
- Average Life: 30.000 Hrs
- 50W, 2990 lm
- 6400K




ATLAS-70

063 001 0070

HL 516L

- 220-240V / 50-60Hz
- Aluminium Body
- Average Life: 30.000 Hrs
- 70W, 4540 lm
- 6400K




ATLAS-100

063 001 0100

HL 517L

- 220-240V / 50-60Hz
- Aluminium Body
- Average Life: 30.000 Hrs
- 90W, 5880 lm
- 6400K




065 001 0150

HL 100



WHITE
BLACK

220-240V / 50-60Hz
Max. 150W



Bulb Included


065 001 0500

HL 101



WHITE
BLACK

220-240V / 50-60Hz
Max. 500W



Bulb Included

Halogen Projector
LED Projector
Projector Stand




065 001 1000

HL 102



WHITE
BLACK

220-240V / 50-60Hz
Max. 1000W



Bulb Included


065 002 0150

HL 104



WHITE
BLACK

220-240V / 50-60Hz
Max. 150W



Bulb Included

065 002 0500

HL 105



WHITE
BLACK

220-240V / 50-60Hz
Max. 500W



Bulb Included

068 001 0070

LEON-70

BLACK

HL 166L



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 70W, 5600 lm
- 6500K



068 001 0100

LEON-100

BLACK

HL 167L



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 100W, 8000 lm
- 6500K



068 001 0150


LEON-150

BLACK

HL 168L



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 150W, 12000 lm
- 6500K




068 002 0010
HL 171L

JAGUAR-10

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 10W, 520 lm
- 6500K




068 002 0030
HL 172L

JAGUAR-30

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 30W, 2014 lm
- 6500K




068 002 0050
HL 173L

JAGUAR-50

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W, 3360 lm
- 6500K




068 002 0100
HL 174L

JAGUAR-100

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2x50W, 6265 lm
- 6500K



068 003 0010 PUMA-10 **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 10W 500 lm
- 6400K / 2700K / GREEN






068 003 0020 PUMA-20 **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 20W 1000 lm
- 6400K / 2700K / GREEN






068 003 0030 PUMA-30 **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 30W 1500 lm
- 6400K / 2700K / GREEN






068 003 0050 PUMA-50 **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 50W 2500 lm
- 6400K / 2700K / GREEN






068 003 0100 PUMA-100 **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 100W 5000 lm
- 6400K / 2700K






068 003 0200 PUMA-200 **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2x100W 10000 lm
- 6400K / 2700K






068 004 0010 **PUMA/S-10** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 10W 500 lm
- 6400K



WITH PIR SENSOR






150 mm
186 mm
62 mm

068 004 0020 **PUMA/S-20** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 20W 1000 lm
- 6400K



WITH PIR SENSOR






182 mm
208 mm
62 mm

068 004 0030 **PUMA/S-30** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 30W 1500 lm
- 6400K



WITH PIR SENSOR






225.5 mm
240 mm
62.5 mm

068 004 0050 **PUMA/S-50** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 50W 2500 lm
- 6400K



WITH PIR SENSOR






274.5 mm
274 mm
63 mm

068 004 0100 **PUMA/S-100** **BLACK**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 100W 5000 lm
- 6400K



WITH PIR SENSOR






395 mm
110 mm
385 mm




Projector Stand

TRIPOD SINGLE

107 001 0001

- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



TRIPOD DOUBLE

107 001 0002

- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable



107 001 0003

PORTABLE

- PORTABLE STAND
- 1.5 meter H05VV-F cable



REGAL-9

- AMBER
- 3000K
- RED
- GREEN
- BLUE

109 001 0009

- 85-265V/50-60Hz
- 540 lm
- Average Life: 50.000 Hrs
- Aluminium Body

NEW




9W POWER LED IP65

REGAL-12

- AMBER
- 3000K
- RED
- GREEN
- BLUE

109 001 0012

- 85-265V/50-60Hz
- 720 lm
- Average Life: 50.000 Hrs
- Aluminium Body

NEW




12W POWER LED IP65

HOROZ ELECTRIC

LED Wallwasher



REGAL-18

- AMBER
- 3000K
- RED
- GREEN
- BLUE

109 001 0018

- 85-265V/50-60Hz
- 1080 lm
- Average Life: 50.000 Hrs
- Aluminium Body

NEW




18W POWER LED IP65

REGAL-24

- AMBER
- 3000K
- RED
- GREEN
- BLUE

109 001 0024

- 85-265V/50-60Hz
- 1440 lm
- Average Life: 50.000 Hrs
- Aluminium Body

NEW




24W POWER LED IP65

REGAL-36

- AMBER
- 3000K
- RED
- GREEN
- BLUE

109 001 0036

- 85-265V/50-60Hz
- 2160 lm
- Average Life: 50.000 Hrs
- Aluminium Body

NEW




36W POWER LED IP65



070 001 0060

HL 900


NEMRUT

WHITE

BLACK



- 220-240V / 50-60Hz
- Max. 60W



070 002 0060

HL 901


TOROS

WHITE

BLACK



- 220-240V / 50-60Hz
- Max. 60W



Aluminium Bulkhead Lamp / LED Bulkhead Lamp



070 003 0060

HL 902


ZİRVE

WHITE

BLACK



- 220-240V / 50-60Hz
- Max. 60W



070 004 0060

HL 903

DORUK


WHITE

BLACK

GREY



- 220-240V / 50-60Hz
- Max. 60W



070 005 0060

HL 905


ZİGANA

WHITE

BLACK



- 220-240V / 50-60Hz
- Max. 60W



070 006 0060

HL 906


ARARAT

WHITE

BLACK



- 220-240V / 50-60Hz
- Max. 60W



070 007 0060

HL 907


ALP

WHITE

BLACK



- 220-240V / 50-60Hz
- Max. 60W





070 008 0040


HL 908

EVEREST

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 40W



070 009 0060

HL 909

HIMALAYA

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 60W



070 010 0060


HL 910

HAZAR

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 60W



070 011 0060


HL 911

KARPAT

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 60W



070 012 0100


HL 920

AYDER

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 100W



070 013 0100


HL 921

KAÇKAR

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 100W



070 014 0100


HL 925

MUNZUR

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 100W



070 015 0100


HL 926

ERÇİYES

WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 100W



071 001 0012 **URAL** **WHITE**

- 220-240V / 50-60Hz
- Plastic Body
- Average Life: 30.000 Hrs
- 12W
- 900 lm
- 4000K






071 002 0012 **TİBET** **WHITE**

- 220-240V / 50-60Hz
- Plastic Body
- Average Life: 30.000 Hrs
- 12W
- 900 lm
- 4000K






071 003 0006 **RAMAN** **BLACK**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 6W
- 400 lm
- 4000K






071 004 0006 **ANT** **BLACK**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 6W
- 300 lm
- 4000K






071 005 0008 **SUPHAN** **BLACK**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 8W
- 515 lm
- 4000K






071 006 0008 **KAFKAS** **BLACK**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 8W
- 420 lm
- 4000K






071 007 0012 **NUR** **BLACK**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 12W
- 855 lm
- 4000K






071 008 0012 **ALTAY** **BLACK**

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 12W
- 670 lm
- 4000K







**HOROZ ELECTRIC****Street Light / LED Street Light**

073 001 0125

HL 191

VATAN-125**DARK GREY**

- 220-240V / 50-60Hz
- Max. 125W




073 001 0250

HL 192

VATAN-250**DARK GREY**

- 220-240V / 50-60Hz
- Max. 250W


**HOROZ ELECTRIC****Street Light
LED Street Light**

073 002 0060

HL 190

WALL STREET**WHITE**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 20W ESL




074 001 0030

HL 193L

ARBAT**SILVER**

- 220-240V / 50-60Hz
- 6400K
- 1x30W
- 1837 lm
- Average Life: 30.000 Hrs




074 003 0026

HL 195L

KOWLOON**DARK GREY, CLEAR PC**

- 220-240V / 50-60Hz
- 6400K
- 26W
- 2250 lm
- Average Life: 30.000 Hrs



STREET LIGHT / LED STREET LIGHT




074 004 0030

BROADWAY-30

DARK GREY

- 100-240V / 50-60Hz
- 4200K
- 1x30W
- 3150 lm
- Average Life: 50.000 Hrs




074 004 0050

BROADWAY-50

DARK GREY

- 100-240V / 50-60Hz
- 4200K
- 1x50W
- 5250 lm
- Average Life: 50.000 Hrs




074 004 0100

BROADWAY-100

DARK GREY

- 200-240V / 50-60Hz
- 4200K
- 2x50W
- 10500 lm
- Average Life: 50.000 Hrs




074 004 0150

BROADWAY-150

DARK GREY

- 200-240V / 50-60Hz
- 4200K
- 3x50W
- 15750 lm
- Average Life: 50.000 Hrs




074 004 0200

BROADWAY-200

DARK GREY

- 100-240V / 50-60Hz
- 4200K
- 4x50W
- 21000 lm
- Average Life: 50.000 Hrs






HOROZ ELECTRIC

Garden Lamp / LED Garden Lamp

075 002 0001
HL 200

LADİN-1


- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 12W ESL



LADİN-3

075 002 0003
HL 202


- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 12W ESL



075 002 0002
HL 201

LADİN-2


- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 12W ESL



075 002 0004
HL 203

LADİN-4

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 12W ESL



HOROZ ELECTRIC

Garden Lamp LED Garden Lamp




GARDEN LAMP / LED GARDEN LAMP



KAYIN-1

075 003 0001

HL 205



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W



KAYIN-2

075 003 0002

HL 206




- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W



KAYIN-3

075 003 0003

HL 208



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W




KAYIN-4

075 003 0004

HL 209



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W






075 001 0001
HL 295

PALMIYE-1

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL




075 001 0002
HL 296

PALMIYE-2

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL



075 001 0004
HL 298

PALMIYE-4

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL




075 001 0003
HL 297

PALMIYE-3

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL






076 002 0001
HL 210L

MIMOZA-1

MAT CHROME



- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs



076 002 0002
HL 211L

MIMOZA-2

MAT CHROME



- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs




076 002 0003
HL 212L

MIMOZA-3

MAT CHROME



- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs



076 002 0004
HL 213L

MIMOZA-4

MAT CHROME




- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs



076 002 0005
HL 214L

MIMOZA-5

MAT CHROME



- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs



076 002 0006
HL 215L

MIMOZA-6

MAT CHROME




- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs



**DEFNE-1**

075 004 0001

HL 230

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

**DEFNE-5**

075 004 0005

HL 235

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

**DEFNE-2**

075 004 0002

HL 232

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

**DEFNE-3**

075 004 0003

HL 233

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

**DEFNE-4**

075 004 0004

HL 234

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W



075 005 0001

HL 258P**ÇINAR**

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 3x60W
- Max 3x12W ESL





075 006 0001
HL 240

AKASYA-1

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W



075 006 0002
HL 242

AKASYA-2

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W



075 006 0003
HL 243

AKASYA-3


- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W



075 006 0004
HL 244

AKASYA-4

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W



075 006 0005
HL 245

AKASYA-5


- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W



075 006 0006
HL 245P

AKASYA-6

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 3x60W





075 012 0001

HL 270

ERGUVAN-1

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



ERGUVAN-2

075 012 0002

HL 271

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



LEYLAK-1

075 013 0001

HL 275

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



075 012 0003

HL 272

ERGUVAN-3

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



075 013 0002

HL 276

LEYLAK-2

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W





075 013 0003
HL 277


LEYLAK-3

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W




075 012 0004
HL 270M

ERGUVAN-4

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



075 012 0005
HL 270P

ERGUVAN-5

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 3x60W



075 012 0006
HL 273P

ERGUVAN-6

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W






075 011 0001
HL 218

SEDİR-1


- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 2x12W ESL



075 011 0002
HL 219

SEDİR-2


- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 2x12W ESL



075 009 0001
HL 237

MANGO-1


- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 15W ESL



075 009 0002
HL 238

MANGO-2


- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 15W ESL



075 009 0003
HL 239

MANGO-3

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 15W ESL




GARDEN LAMP / LED GARDEN LAMP



075 010 0001
HL 246

GARDENYA-1

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 35W




Bulb included

075 010 0002
HL 247

GARDENYA-2

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 2x35W




Bulb included

075 010 0003
HL 248

GARDENYA-3

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 35W




Bulb included

075 010 0004
HL 249

GARDENYA-4

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 2x35W




Bulb included

075 008 0001
HL 265

MANOLYA-1

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 35W



Bulb included

075 008 0002
HL 266

MANOLYA-2

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 2x35W




Bulb included

075 008 0003
HL 267

MANOLYA-3


- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 2x12W ESL



GARDEN LAMP / LED GARDEN LAMP

076 003 0006
HL 237L**ARDIÇ****BLACK**


- Aluminium Body
- 220-240V / 50-60Hz
- 5.5W
- 4100K
- 385 lm
- Average Life: 30.000 Hrs

**SELVİ**076 007 0004
HL 241L**BLACK**


- Aluminium Body
- 220-240V / 50-60Hz
- 3.5W
- 4100K
- 35 lm
- Average Life: 30.000 Hrs

076 004 0006
HL 238L**MEŞE****BLACK**


- Aluminium Body
- 220-240V / 50-60Hz
- 5.5W
- 4100K
- 420 lm
- Average Life: 30.000 Hrs

076 008 0004
HL 242L**SALKIM****BLACK**

- Aluminium Body
- 220-240V / 50-60Hz
- 3.5W
- 4100K
- 65 lm
- Average Life: 30.000 Hrs

076 005 0003
HL 239L**ZAKKUM****BLACK**


- Aluminium Body
- 220-240V / 50-60Hz
- 3W
- 4100K
- 230 lm
- Average Life: 30.000 Hrs

076 006 0006
HL 240L**TAFLAN****BLACK**

- Aluminium Body
- 220-240V / 50-60Hz
- 5.5W
- 4100K
- 200 lm
- Average Life: 30.000 Hrs

**SAFRAN-5**076 001 0005
HL 281L**BLACK****WHITE**

- 220-240V / 50-60Hz
- 5W
- 6400K / GREEN
- 409 lm
- Average Life: 30.000 Hrs

**SAFRAN-16**076 001 0016
HL 282L**BLACK****WHITE**

- 220-240V / 50-60Hz
- 16W
- 6400K / GREEN
- 1229 lm
- Average Life: 30.000 Hrs





HOROZ ELECTRIC


LED Solar Lamp

VENÜS

078 001 0001



- NI-MH AA 200 mAh 12V
- 6400K
- 0.06W
- 15 lm
- Average Life: 100.000 Hrs




MARS

078 002 0001



- NI-MH AA 200 mAh 12V
- 6400K
- 0.06W
- 15 lm
- Average Life: 100.000 Hrs



HOROZ ELECTRIC

LED Solar Lamp




SATÜRN

078 003 0001



- NI-MH AA 200 mAh 12V
- 6400K
- 0.06W
- 15 lm
- Average Life: 100.000 Hrs




NEPTUN

078 004 0001



- NI-MH AA 100 mAh 12V
- 6400K
- 0.06W
- 15 lm
- Average Life: 100.000 Hrs





PLUTON

078 005 0001



- NI-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 15 lm
- Average Life: 100.000 Hrs



HALLEY

078 006 0001



- NI-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 15 lm
- Average Life: 100.000 Hrs




MAGIC

078 007 0001



- 3 NI-MH AA 100 mAh 1.2V
- 6400K
- 9x0.06W
- 9x1.5 lm
- Average Life: 100.000 Hrs




ON-OFF



LED SOLAR LAMP

WIZARD

078 008 0001



- 3 NI-MH 600 mAh 1.2V
- 6400K
- 2W
- 150 lm
- Average Life: 50.000 Hrs



ON-OFF

**HOROZ ELECTRIC**

Inground & Recessed Type LED Lamp

079 001 0003

ZÜMRÜT

WHITE


MAT CHROME

HL 957L

- 220-240V / 50-60Hz
- 1x3W, 86 lm
- 4000K
- Average Life: 30.000 Hrs



90°



079 002 0003

YAKUT

WHITE


MAT CHROME

HL 958L

- 220-240V / 50-60Hz
- 1x3W, 86 lm
- 4000K
- Average Life: 30.000 Hrs



90°



079 003 0002


SAFİR

- 220-240V / 50-60Hz
- 12W, 75 lm
- Average Life: 50.000 Hrs

HL 940L

WHITE

BLUE

**HOROZ ELECTRIC**

Inground & Recessed Type LED Lamp



079 004 0002

İNCİ

- 220-240V / 50-60Hz
- 1.2W, 75 lm
- Average Life: 50.000 Hrs

HL 941L

WHITE

BLUE



079 005 0002


ELMAS

WHITE

- 220-240V / 50-60Hz
- 1.8W, 98 lm
- Average Life: 50.000 Hrs

HL 945L


WHITE

**GOLD**

079 025 0003

WHITE

- 220-240V / 50-60Hz
- 3W, 240 lm
- 4200K
- With PIR Sensor
- Average Life: 30.000 Hrs







079 006 0002
HL 931L

KUVARS


- 220-240V / 50-60Hz
- 1.5W, 90 lm
- Average Life: 50.000 Hrs



079 009 0002
HL 934L

KORNET


- 220-240V / 50-60Hz
- 1.5W, 90 lm
- Average Life: 50.000 Hrs



079 007 0002
HL 932L

KALSİT


- 220-240V / 50-60Hz
- 1.8W, 105 lm
- Average Life: 50.000 Hrs



079 010 0002
HL 935L

GRANİT


- 220-240V / 50-60Hz
- 1.8W, 105 lm
- Average Life: 50.000 Hrs



079 008 0003
HL 933L

OPAL


- 220-240V / 50-60Hz
- 2.7W, 160 lm
- Average Life: 50.000 Hrs



079 011 0003
HL 936L

PIRLANTA

- 220-240V / 50-60Hz
- 2.7W, 160 lm
- Average Life: 50.000 Hrs







079 012 0002

HL 942L

MERCAN

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs




079 015 0002

HL 946L

SEDEF

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs





079 013 0002

HL 943L

AKIK

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs




079 016 0002

HL 947L

OLTU

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs





079 014 0002

HL 944L

ONIKS

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs




079 017 0002

HL 948L

BERİL

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs






079 018 0001

HL 951L

GÜMÜŞ

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W, 57 lm
- Average Life: 50.000 Hrs




079 021 0002

HL 954L

PERLE

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W, 72 lm
- Average Life: 50.000 Hrs




079 019 0001

HL 952L

BRONZ

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W, 57 lm
- Average Life: 50.000 Hrs




079 022 0002

HL 955L

AMBER

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W, 72 lm
- Average Life: 50.000 Hrs




079 020 0001

HL 953L

BOR

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W, 57 lm
- Average Life: 50.000 Hrs




079 023 0002

HL 956L

PERA

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W, 72 lm
- Average Life: 50.000 Hrs





SINGLE CHIP

3 LEDs make a group and each group can be cut or extended in terms of the length of application



HL 541L 081 002 0001

NONWATERPROOF

- Operation Voltage: 12V DC
- Input Current: 2A (1 Roll/5m)
- Power: 24W (1 Roll/5m)
- 1.440 lm, per 16ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 35x28 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation

LED Strip
LED Driver
Waterproof LED Driver
RGB Controller
LED Ropelight
RGB Amplifier



SINGLE CHIP

REN

REN/RGB

HL 540L 081 001 0001

RGB 081 001 0002

WATERPROOF

- Operation Voltage: 12V DC
- Input Current: 2A (1 Roll/5m)
- Power: 24W (1 Roll/5m)
- 1.440 lm, per 16ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 35x28 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation



3 LEDs make a group and each group can be cut or extended in terms of the length of application



THAMES

THAMES/RGB

HL 542L 081 003 0001

RGB 081 003 0002

WATERPROOF

- Operation Voltage: 12V DC
- Input Current: 6A (1 Roll/5m)
- Power: 72W (1 Roll/5m)
- 4.320 lm, per 16ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation



3 LEDs make a group and each group can be cut or extended in terms of the length of application

THREE CHIPS





AMAZON
AMAZON/RGB


HL 542LN 081 005 0001
RGB 081 005 0002
NON WATERPROOF

3 LEDs make a group and each group can be cut or extended in terms of the length of application.

- Operation Voltage: 12V DC
- 4320 lm per 16ft reel
- Average Life: 30.000Hrs
- Standart Length: 1m / 60 LED
- 5 m Roll
- 14.4W / m
- LED Type: 50x50 SMD LED
- Beam Angle: 120°



THREE CHIPS



220-240V



THREE CHIPS

HL 543L 081 004 0001
WATERPROOF


- Operation Voltage: 220-240V / 50-60Hz
- Power: 10W/m
- 30.000 lm, per 164ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120
- Package: 50 m / Roll
- 5 accessory




VOLGA



Can be cut each 1 meter.



LED Ropelight



LED ROPELIGHT 099 001 0001

IP44
LED Ropelight can be cut for every 2 meters.


- 2 LINE**
- 100m ROLL**
- 13 mm**
- 1.8 watt/meter**
- 30 bulb/meter**
- 10 accessories**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs




**082 001 0010**
HL 544**VEGA-10**


- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 10W
- Output Current: 0,8A
- For 2m 35x28 SMD LED Strip
- For 1m 50x50 SMD LED Strip

**082 001 0036**
HL 545**VEGA-36**


- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 36W
- Output Current: 3A
- For 5m 35x28 SMD LED Strip
- For 15m 50x50 SMD LED Strip

**082 001 0060**
HL 546**VEGA-60**


- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 60W
- Output Current: 5A
- For 10m 35x28 SMD LED Strip
- For 4m 50x50 SMD LED Strip

**082 001 0120**
HL 547**VEGA-120**


- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 120W
- Output Current: 10A
- For 20m 35x28 SMD LED Strip
- For 8m 50x50 SMD LED Strip

**082 001 0150**
HL 548**VEGA-150**


- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 150W
- Output Current: 12A
- For 30m 35x28 SMD LED Strip
- For 10m 50x50 SMD LED Strip

**082 001 0200**
HL 549**VEGA-200**

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 200W
- Output Current: 17A
- For 40m 35x28 SMD LED Strip
- For 13m 50x50 SMD LED Strip

**083 001 0025**
HL 553**VESTA-25****WATERPROOF**

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 25W
- Output Current: 2A
- For Max. 5m 35x28 SMD Led Strip
- For Max. 1,7m 50x50 SMD Led Strip

**083 001 0060**
HL 555**VESTA-60****WATERPROOF**

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 60W
- Output Current: 5A
- For Max. 12m 35x28 SMD Led Strip
- For Max. 4m 50x50 SMD Led Strip






083 001 0120
HL 557

VESTA-120

WATERPROOF

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 120W
- Output Current: 10A
- For Max. 25m 35x28 SMD Led Strip
- For Max. 8m 50x50 SMD Led Strip



083 001 0180
HL 558

VESTA-180

WATERPROOF

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 180W
- Output Current: 15A
- For Max. 37m 35x28 SMD Led Strip
- For Max. 12m 50x50 SMD Led Strip




083 001 0200
HL 559

VESTA-200

WATERPROOF


- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 200W
- Output Current: 17A
- For Max. 40m 35x28 SMD Led Strip
- For Max. 13m 50x50 SMD Led Strip



100 001 0072

RGB Controller 2A

- DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 72W
- Output Current: 2A/Each Color



For Max. 15m 35x28 SMD LED Strip
For Max. 9m 50x50 SMD LED Strip



100 002 0144

RGB Controller 4A

- DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 144W
- Output Current: 4A/Each Color



For Max. 30m 35x28 SMD LED Strip
For Max. 10m 50x50 SMD LED Strip



RGB Amplifier 12A

AMPLIFIER-12A

101 001 0144

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 144W
- Output Current: 4A/Each Color
- 50x50 RGB Led Strips
10 Meters with 60Leds/Meter.
- 35x28 RGB Led Strips
30 Meters with 60Leds/Meter



144W



RGB Amplifier 24A

AMPLIFIER-24A

101 001 0288

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 288W
- Output Current: 8A/Each Color
- 50x50 RGB Led Strips
20 Meters with 60Leds/Meter.
- 35x28 RGB Led Strips
60 Meters with 60Leds/Meter



288W



**HOROZ ELECTRIC****Rechargeable & Emergency LED Lantern / Rechargeable LED Headlight**

084 001 0001


CRUYFF**RECHARGEABLE****LED TORCH**

HL 334L

- 220-240V / 50-60Hz
- 1W 100 lm
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time: 2.5 Hours
- Average Life: 30.000 Hrs



ON-OFF



084 002 0001


ORTEGA**RECHARGEABLE****LED TORCH**

HL 335L

- 220-240V / 50-60Hz
- 1W 100 lm
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time: 2.5 Hours
- Average Life: 30.000 Hrs



ON-OFF

**HOROZ ELECTRIC****Rechargeable & Emergency LED Lantern / Rechargeable LED Headlight**

084 003 0001


MARADONA-1**RECHARGEABLE****LED TORCH**

HL 336L

- 220-240V / 50-60Hz
- 3W 200 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time: 4 Hours
- Average Life: 30.000 Hrs



ON-OFF



084 003 0002


MARADONA-2**RECHARGEABLE****LED TORCH**

HL 337L

- 220-240V / 50-60Hz
- 3W 200 lm
- 6V 4.5Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Average Life: 30.000 Hrs




ON-OFF



**CAFU-1**

084 004 0001

HL 338L

**RECHARGEABLE****LED LANTERN**

- 220-240V / 50-60Hz
- 19x1500 MCD 110°
- Bright LED Torch
- 1.9W, 95 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time: 7 LED 24 Hours, 19 LED 10 Hours
- Average Life: 30.000 Hrs




ON-OFF

CAFU-2

084 004 0002

HL 339L

**RECHARGEABLE****LED LANTERN**

- 220-240V / 50-60Hz
- 36x1500 MCD 110°
- Bright LED Torch
- 3.6W, 180 lm
- 6V 4.5Ah Rechargeable Sealed-Acid Battery
- Duration Time: 16 LED 15 Hours, 36 LED 6 Hours
- Average Life: 30.000 Hrs



ON-OFF

PUSKAS-1

084 005 0001

HL 331L

**RECHARGEABLE****LED TORCH**

- 220-240V / 50-60Hz
- 4x1500 MCD 110°
- Bright LED Torch
- 20 lm
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 5 Hours
- Average Life: 30.000 Hrs




ON-OFF

PUSKAS-2

084 005 0002

HL 332L

**RECHARGEABLE****LED TORCH**

- 220-240V / 50-60Hz
- 5x1500 MCD 110°
- Bright LED Torch
- 25 lm
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 4 Hours
- Average Life: 30.000 Hrs




ON-OFF

PUSKAS-3

084 005 0003

HL 333L

**RECHARGEABLE****LED TORCH**

- 220-240V / 50-60Hz
- 9x1500 MCD 110°
- Bright LED Torch
- 45 lm
- 0.9V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 5 Hours
- Average Life: 30.000 Hrs



ON-OFF





084 006 0001
HL 3094L

PELE-1


ORANGE
GREEN
PURPLE
DARK RED
BLUE



RECHARGEABLE

LED LANTERN

- 220-240V / 50-60Hz
- 4x1500 MCD 110°
- Bright LED Torch
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 4 Hours For Strong Light 16 Hours For Weak Light
- 4x0.1W, 20 lm
- 9.000-15.000K
- Average Life: 30.000 Hrs



084 007 0001
HL 341L

BECKHAM-1



RECHARGEABLE

LED HEADLIGHT

- 220-240V / 50-60Hz
- 1W, 100 lm Bright Light
- 7000-9000K
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 1Hrs (for strong light) 4Hrs (for weak light)
- Beam Distance: 20m
- Charging Time: 12-15 Hrs
- Average Life: 30.000 Hrs



084 006 0002
HL 3097L

PELE-2

ORANGE
GREEN
PURPLE
DARK RED
BLUE



RECHARGEABLE

LED LANTERN

- 220-240V / 50-60Hz
- 7x1500 MCD 110°
- Bright LED Torch
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 2.5 Hours For Strong Light 10 Hours For Weak Light
- 7x0.1W, 35 lm
- 9.000-15.000K
- Average Life: 30.000 Hrs



084 007 0003
HL 343L

BECKHAM-3



RECHARGEABLE

LED HEADLIGHT

- 220-240V / 50-60Hz
- 3W, 200 lm Bright Light
- 7000-9000K
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time: 1Hrs (for strong light) 4Hrs (for weak light)
- Beam Distance: 30m
- Charging Time: 12-15 Hrs
- Average Life: 30.000 Hrs



084 006 0003
HL 3099L

PELE-3


ORANGE
GREEN
PURPLE
DARK RED
BLUE



RECHARGEABLE

LED LANTERN

- 220-240V / 50-60Hz
- 9x1500 MCD 110°
- Bright LED Torch
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time: 4 Hours For Strong Light 16 Hours For Weak Light
- 9x0.1W, 45 lm
- 9.000-15.000K
- Average Life: 30.000 Hrs



084 007 0002
HL 347L

BECKHAM-2



RECHARGEABLE

LED HEADLIGHT

- 220-240V / 50-60Hz
- 0.7W, 35 lm Bright Light
- 9000-15000K
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 2Hrs (for strong light) 8Hrs (for weak light)
- Beam Distance: 10m
- Charging Time: 12-15 Hrs
- Average Life: 30.000 Hrs



084 009 0001
HL 327L


SOCRATES



RECHARGEABLE

LED TORCH

- 220-240V / 50-60Hz
- 7x1500 MCD 110°
- Bright LED Torch
- 35 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 8 Hours
- Average Life: 30.000 Hrs



084 007 0004
HL 349L

BECKHAM-4



RECHARGEABLE

LED HEADLIGHT

- 220-240V / 50-60Hz
- 0.9W, 45 lm Bright Light
- 9000-15000K
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time: 4 Hrs (for strong light) 16 Hrs (for weak light)
- Beam Distance: 20m
- Charging Time: 12-15 Hrs
- Average Life: 30.000 Hrs




RECHARGEABLE & EMERGENCY LED LANTERN / RECHARGEABLE LED HEADLIGHT



084 010 0016

ROSSI

HL 303


**RECHARGEABLE****WALL-MOUNTED****LANTERN**

- 220-240V / 50-60Hz
- 2 x 8W, 206 lm
- 6V 2.8Ah Rechargeable Sealed-Acid Battery
- Duration Time: 1 Tube 5 Hours, 2 Tubes 2.5 Hours
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 8.000 Hrs

084 011 0001

PLATINI

HL 323L



**RECHARGEABLE****LED LANTERN**

- 220-240V / 50-60Hz
- 35x1500 MCD 110° Bright LED Light
- 175 lm
- 6V 2.8Ah Rechargeable Sealed-Acid Battery
- Duration Time: 15 Hours
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 30.000 Hrs

ZICO-6

084 012 0006

HL 312L

**RECHARGEABLE****LED LANTERN**

- 220-240V / 50-60Hz
- 60x1500 MCD 110° Bright LED Light
- 300 lm
- 2x4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: Step 1: 9 Hours, Step 2: 2 Hours
- Average Life: 30.000 Hrs

**ZICO-4**

084 012 0004

HL 313L

**RECHARGEABLE****LED LANTERN**

- 220-240V / 50-60Hz
- 30x1500 MCD 110° Bright LED Light
- 150 lm
- 1x4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: Step 1: 10 Hours, Step 2: 2 Hours
- Average Life: 30.000 Hrs

**FIGO-6**

084 013 0006

HL 306

**EMERGENCY EXIT****SAFETY EMERGENCY****LANTERN**

- 220-240V / 50-60Hz
- 1 x 6W, 70 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 90 Minutes
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 8.000 Hrs

**MALDINI-2**

084 014 0002

HL 306L


**EMERGENCY EXIT****SAFETY EMERGENCY****LANTERN**

- 220-240V / 50-60Hz
- 18x1500 MCD 110° Bright LED Light
- 90 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 30.000 Hrs

**FIGO-8**

084 013 0008

HL 308

**EMERGENCY EXIT****SAFETY EMERGENCY****LANTERN**

- 220-240V / 50-60Hz
- 1 x 8W, 103 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 90 Minutes
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 8.000 Hrs

**MALDINI-3**

084 014 0003

HL 308L

**EMERGENCY EXIT****SAFETY EMERGENCY****LANTERN**

- 220-240V / 50-60Hz
- 24x1500 MCD 110° Bright LED Light
- 120 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 5 Hours
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 30.000 Hrs



**LINEKER**

084 015 0003

HL 304L

**RECHARGEABLE****LED DESK LAMP**

- 220-240V / 50-60Hz
- 25x1500 MCD 110° Bright LED Light
- 120 lm
- 6V 2Ah Rechargeable Sealed-Acid Battery
- Duration time For 24 LED: 10 hours For 1LED: 100 hours
- Average Life: 30.000 Hrs

**ZIDANE**

084 016 0003

HL 304LR

**RECHARGEABLE****LED DESK LAMP****WITH RADIO**


- 220-240V / 50-60Hz
- 24x1500 MCD 110° Bright LED Light
- 120 lm
- 2x4V 900mAh Rechargeable Sealed-Acid Battery
- Duration time For 24 LED: 4 hours
- Radio: 3 hours
- Average Life: 30.000 Hrs



084 017 0003

HAGI

HL 319LR

**RECHARGEABLE****LANTERN****WITH RADIO**

- 220-240V 50/60 Hz
- 24x1500 MCD 110° Bright LED Light
- 3x1500 MCD 110° Bright LED Torch
- 120 lm
- 6V 2.0Ah Rechargeable Sealed-Acid Battery
- Duration time For 24 LED: 12 hours For 3 LED: 24 hours For Radio: 8 hours
- Average Life: 30.000 Hrs

MÜLLER

084 018 0001

HL 310L

**RECHARGEABLE****LED LAMP****E27**

- 220-240V / 50-60Hz
- 10x1500 MCD 110° Bright LED Light
- 50 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Emergency & Automatic Light-Up
- AC / DC Operated
- Average Life: 30.000 Hrs

**ROBSON**

084 020 0002

HL 330L

**EMERGENCY****EXIT & SAFETY****LED LAMP**

- 220-240V / 50-60Hz
- 50 lm
- 12V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Duration Time: 120 minutes




084 019 0001

ZOFF

HL 3301L

**EXIT & SAFETY LAMP****LED LAMP**

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10.000 Hrs
- Duration Time: 90 minutes





085 001 0002

HL 991L

REX


WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



085 001 0003

HL 992L

BUGS


WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



LED Night Lamp



LED NIGHT LAMP

085 001 0004

HL 993L

MAX


WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



085 001 0005

HL 994L

DUFFY


WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



085 001 0001

HL 990L

DORA

WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



085 001 0006


HL 981L

SIMPSON

WHITE

(LANDSCAPE)

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs




086 001 0001
HL 452

LORD

Specification



- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 3V/DC (2xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional




086 001 0002
HL 453

SOLID

Specification



- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 4.5V/DC (3xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional



Doorbell / Detector / Sensor /
Light Control Photosensor /
Timer / Wireless Lighting
Controller Switch




086 001 0004
HL 455

ALBA

Specification



- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 MHz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional




086 001 0003
HL 454

HELIX

Specification



- Operation Voltage: 4.5V DC (3xAA1.5V) or 12V DC Adaptor
- Sensing Distance: 5m
- Distance Range: 100'
- Sound level: 60 db max
- Sound type: Ding Dong
- Help, Welcome + Alarm




086 001 0005
HL 456

VIOLA

Specification



- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 MHz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional





086 001 0006 **SOLO**

HL 457

Specification

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional

087 001 0001 **DETECTOR**

HL 490

Smoke Detector

- Alkaline 9V
- Loud Alarm 85db
- Battery Supplied
- Alarms for 10 Minutes

088 001 0005 **SMART**

HL 484

Specification

- Operation Voltage: 220-240V / 50-60Hz AC
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)

WHITE

088 001 0006 **CORSA**

HL 485

Specification

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 800W (110-130V), 1200W (220-240V)
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 3Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.6-1.5m/s
- Installation Height: 2.2-4m

088 001 0001 **FOCUS**

HL 480

Specification

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 x 1m Max. (-24°C)
- Time-delay: 5 sec - 10 x 2 min.
- Ambient Light: +10Lux - 2000Lux
- Average Load: Max 1000W

WHITE
BLACK

088 001 0002 **CORONA**

HL 481

Specification

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 x 1m Max. (-24°C)
- Time-delay: 5 sec - 10 x 2 min.
- Ambient Light: +10Lux - 2000Lux
- Average Load: Max 1000W (-220V AC)

WHITE
BLACK

088 001 0003

LINEA


HL 482



WHITE
BLACK

Specification

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 + 2 m Max. (-24°C)
- Time-delay: 5 sec - 8+2 min.
- Ambient Light: < 10Lux - 2000Lux
- Average Load: Max 1000W (-220V AC)



088 001 0004

GOLF


HL 483



WHITE

Specification

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 6 + 2 m Max. (-24°C)
- Time-delay: Max: 5 sec - 10+2 min. (adjustable)
- Ambient Light: < 10Lux - 1000Lux
- Sound Control Sensitivity: 30db - 90db (adjustable)
- Average Load: 500W (220V / AC-240V / AC)



088 001 0007

POLO

HL 486


MICROWAVE SENSOR

Detection is possible to go through doors, panes of glass or thin walls



Specification

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec + 3 sec, Max. 12 min + 1 min
- Ambient Light: < 3 - 2000Lux (adjustable)
- Average Load: Max 1200W (-220V AC) 300W (-220V AC)
- Detection Motion Speed: 0.6-1.5 m/s



088 001 0008

MEGANE


HL 487

INFRARED MOTION SENSOR



Specification

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (-24°C)
- Time-delay: Min. 10 sec + 3 sec, Max. 7 min + 2 min
- Ambient Light: < 3 - 2000Lux (adjustable)
- Average Load: Max 1200W (-220V AC) 300W (-220V AC)
- Detection Motion Speed: 0.6-1.5 m/s



FLASH

089 001 0001

HL 470



Specification

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: < 50Lux
- Load Power: 1000W (6A)



FLEX

089 001 0002

HL 471



Specification


- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: < 50Lux
- Load Power: 1200W (10A)



LUXOR

089 001 0003

HL 472



Specification

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: < 50Lux
- Load Power: 2700W (25A)




CONTROLLER-1

105 001 0001

Wireless Lighting Controller Switch

Specification

- Working voltage: AC 180-240V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamp<1000W Energy saving lamp/LED<300W Energy saving lamp/LED<6 PCS
- Working voltage: 12V(A23 alkaline battery)



30m-60m



CONTROLLER-2

105 001 0002

Wireless Lighting Controller Switch

Specification

- Working voltage: AC 180-240V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamp<1000W Energy saving lamp/LED<300W Energy saving lamp/LED<6 PCS
- Working voltage: 12V(A23 alkaline battery)



30m-60m



CONTROLLER-3

105 001 0003

Wireless Lighting Controller Switch

Specification

- Working voltage: AC 180-240V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamp<1000W Energy saving lamp/LED<300W Energy saving lamp/LED<6 PCS
- Working voltage: 12V(A23 alkaline battery)



30m-60m




TIMER-1

108 001 0001

Mechanical Daily Timer Plug

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A
- 24 On/Off Programs
- Minimum Setting: 30 minutes
- 24 Hours Programming




TIMER-2

108 002 0001

Digital Weekly Electronic Timer Plug

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A
- 20 On/Off Programs
- Minimum Setting: 1 minutes
- With Battery Ni-Mh




TIMER-3

108 003 0001

Mechanical Daily Slim Timer

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A
- 48 On/Off Programs
- Minimum Setting: 15 minutes
- 24 Hours Programming





090 001 0010 HL 380 10W **BALLAST-0010**

090 001 0015 HL 381 15W **BALLAST-0015**

090 001 0018 HL 382 18W **BALLAST-0018**

090 001 0030 HL 383 30W **BALLAST-0030**

090 001 0036 HL 384 36W **BALLAST-0036**

ELECTRONIC BALLAST

220-240V / 50-60Hz



090 001 2018 HL 385 2x18W **BALLAST-2018**

HL 385 2x18W

090 001 2036 HL 386 2x36W **BALLAST-2036**

HL 386 2x36W

ELECTRONIC BALLAST

220-240V / 50-60Hz



093 001 0060 **TRANSFORMER-60**

HL 370 12V, 60W

093 001 0105 **TRANSFORMER-105**


HL 371 12V, 105W

093 001 0150 **TRANSFORMER-150**

HL 372 12V, 150W

ELECTRONIC TRANSFORMER

220-240V / 50-60Hz



090 001 4018 HL 387 4x18W **BALLAST-4018**

HL 387 4x18W

090 001 4036 HL 388 4x36W **BALLAST-4036**

HL 388 4x36W


ELECTRONIC BALLAST

220-240V / 50-60Hz






094 001 0001 HL 580



094 002 0001 HL 584




094 003 0001 HL 590




Lamp Holder




094 002 0002 HL 585




094 003 0002 HL 591




094 001 0002 HL 581




094 002 0003 HL 586



094 003 0003 HL 592




094 001 0003 HL 582




094 002 0004 HL 587




094 003 0004 HL 593



094 001 0004 HL 583



094 004 0001 HL 550




10 cm.

20 cm.




094 004 0002 HL 551

15 cm.




Starter S2



- 220-240V SINGLE
- 4-6-8-15-18-22W
- 110-130V SINGLE
- 220-240V SERIES 4-22W

Starter S10



- 220-240V SINGLE
- 4-65W

SOCKET



- WATERPROOF LED STRIP: (FOR HL 54 SL)
- INPUT VOLTAGE: 220V AC
- CABLE FEATURE: 2x0,75mm² Flexible
- ACCESSORIES: 5 pcs Silicon Clips, 1 pcs Connector, 1 pcs Middle Plug, 1 pcs End Cap
- Pin Types: 9mm



Starter / Socket, Connector / UTP Cat5e / UTP Cat6e / Cable Tie / Nail Cable Clip / RG6 / Adhesive Tape / Terminal Block



CONNECTOR

(MODEL: HL 2001)



UTP Cat5e

■ NETWORK CABLE 305m ROLL



RG6

COAXIAL CABLE 100m ROLL



6,8 PVC | 64x0,12 AL BRAIDING | AL FOIL BONDED | 4,8 FPE | 1,02 CCS

TERMINAL BLOCK

- 3 A, 4 mm²
- 5 A, 6 mm²
- 10 A, 10 mm²
- 30 A, 16 mm²
- 60 A, 25 mm²



UTP Cat6

■ NETWORK CABLE 305m ROLL



NAIL CABLE CLIP



CIRCLE	NAIL
4 mm	1,7 x 15
5 mm	1,7 x 15
6 mm	1,7 x 17
7 mm	1,8 x 19
8 mm	1,9 x 21
9 mm	2,0 x 22
10 mm	2,05 x 25
12 mm	2,05 x 27
14 mm	2,4 x 32
16 mm	2,5 x 35
18 mm	2,5 x 37
22 mm	2,8 x 48

CABLE TIE



- 2,5*100
- 2,5*150
- 2,5*200
- 3,6*150
- 3,6*200
- 3,6*250
- 3,6*280
- 3,6*300
- 3,6*370
- 4,8*200
- 4,8*250
- 4,8*300
- 4,8*350
- 4,8*370
- 4,8*400
- 7,2*300
- 7,2*350
- 7,2*400
- 7,2*450
- 7,9*350
- 7,9*400
- 7,9*450
- 7,9*500
- 9*550
- 9*650
- 9*750
- 9*1020



ADHESIVE TAPE

- 10 YARD
- 20 YARD



- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



106 002 0015

WIRE SPRING-2/1.5


106 002 0025

WIRE SPRING-2/2.5

106 002 0060

WIRE SPRING-2/6**2 Pole Wire Spring Connector**

- 0,2-1,5 mm² / 0,5-2,5 mm² / 1,5-6,0 mm²
- 5A/380V / 10A/380V / 25A/380V
- 2 Pole



106 003 0015

WIRE SPRING-3/1.5


106 003 0025

WIRE SPRING-3/2.5

106 003 0060

WIRE SPRING-3/6**3 Pole Wire Spring Connector**


- 0,2-1,5 mm² / 0,5-2,5 mm² / 1,5-6,0 mm²
- 5A/380V / 10A/380V / 25A/380V
- 3 Pole

**Compact Connector Wire Spring Connector**

103 001 0002

2 POLE COMPACT CONNECTOR**CONNECTOR-2**


- Voltage: 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Wiring Type: Spring Clamping 28-10AWG



103 001 0003

3 POLE COMPACT CONNECTOR**CONNECTOR-3**


- Voltage: 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Wiring Type: Spring Clamping 28-10AWG



103 001 0005

5 POLE COMPACT CONNECTOR**CONNECTOR-5**

- Voltage: 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Wiring Type: Spring Clamping 28-10AWG






104 006 0015

CABLE REEL

REEL-15

15 meters

- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x1.5 mm²
- 4 Sockets
- 15 Meters
- Overload Protection




104 006 0025

CABLE REEL

REEL-25

25 meters

- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x1.5 mm²
- 4 Sockets
- 25 Meters
- Overload Protection




104 006 0050

CABLE REEL

REEL-50

50 meters

- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x1.5 mm²
- 4 Sockets
- 50 Meters
- Overload Protection




104 007 0025

CABLE REEL

EMPTY-25

WITHOUT CABLE/25 meters


- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x1.5 mm²
- 4 Sockets
- 25 Meters
- Overload Protection



**HOROZ ELECTRIC**

Exhaust Fans

095 001 0160

HL 960


- 220-240V / 50-60Hz
- Air Flow: 450
- Speed: 1200
- Power Input: 35W
- Weight: 1,8kg
- Product Size: 24,8cm x 24,8cm x 12,5cm

**HOROZ ELECTRIC**

Exhaust Fan




095 001 0200

HL 961

- 220-240V / 50-60Hz
- Air Flow: 780
- Speed: 1150
- Power Input: 40W
- Weight: 2,2kg
- Product Size: 27,5cm x 27,5cm x 12,5cm



095 001 0250

HL 962

- 220-240V / 50-60Hz
- Air Flow: 890
- Speed: 1100
- Power Input: 50W
- Weight: 2,4kg
- Product Size: 33,6cm x 33,6cm x 13cm



KaçmazGrup

High Quality High Performance



www.kacmazgroup.com



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti



· ADHESIVE TAPE · **ALUMINIUM BULKHEAD LAMP** · BALLAST & TRANSFORMER · **BATHROOM LAMP** · CABLE REEL · **CABLE TIE**
· CEILING LAMP · **COMPACT CONNECTOR** · CONNECTOR · **DECORATIVE CEILING LAMP** · DESK LAMP · **DETECTOR** · DOORBELL
· **DOWNLIGHT** · ELECTRONIC WALL LAMP · **ENERGY SAVING LAMP** · EXHAUST FANS · **FLOOR LAMP** · FLOURESCENT LOUVER
FITTING · **FLUORESCENT TUBE** · GARDEN LAMP · **HALOGEN DOWNLIGHT** · HALOGEN LAMP · **HALOGEN PROJECTOR** · HIGH BAY
LAMP · **INCANDESCENT LAMP** · INGROUND & RECESSED TYPE LED LAMP · **LAMP HOLDER** · LED ROPELIGHT · **LED BATTEN
LIGHT** · LED BULKHEAD LAMP · **LED CAPSULE** · LED CEILING LAMP · **LED DESK LAMP** · LED DOWNLIGHT · **LED DRIVER** · LED
FLOOR LAMP · **LED GARDEN LAMP** · LED HIGH BAY LAMP · **LED LAMP** · LED NIGHT LAMP · **LED PANEL** · LED PENDANT LAMP
· **LED PICTURE & MIRROR LAMP** · LED PROJECTOR · **LED READING LAMP** · LED SOLAR LAMP · **LED STREET LIGHT** · LED
STRIP · **LED SUSPENSION LIGHT** · LED TRACK LIGHT · **LED TUBE** · LED WALL LIGHT · **LED WALLWASHER** · LED WATERPROOF
LAMP · **LIGHT CONTROL PHOTSENSOR** · LIGHTING TRACK · **MAGNETIC WALL LAMP** · MERCURY LAMP · **METAL HALIDE
LAMP** · NAIL CABLE CLIP · **PICTURE & MIRROR LAMP** · PROJECTOR STAND · **RECESSED MONOPOINT** · RECHARGEABLE &
EMERGENCY LED LANTERN · **RECHARGEABLE LED HEADLIGHT** · REFLECTOR LAMP · **RG6** · RGB AMPLIFER · **RGB CONTROLLER**
· SENSOR · **SOCKET** · STARTER · **STREET LIGHT** · TERMINAL BLOCK · **TIMER** · TRACK CONNECTOR · **UTP CAT5E** · WALL LIGHT ·
WATERPROOF LAMP · WATERPROOF LED DRIVER · **WIRE SPRING CONNECTOR** · WIRELESS LIGHTING CONTROLLER SWITCH



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-sti-

 **KaçmazGrup**

www.horozelektrik.com